# **Product Catalogue Version VIII**

Telephone: +44 (0)24 76466203 Email: sales@lawtontubes.co.uk Website: www.lawtontubes.co.uk

Inwron

LAWTO

The nation's copper specialist

TUBES

## Introduction

Lawton Tubes is the UK's leading independent manufacturer and distributor of copper tube, proudly established in 1920. As a fifth-generation, family-owned business, we have earned a reputation for reliability, quality, and innovation.

We serve as a crucial link between one of the world's most versatile metals and a diverse range of industries and applications. Our extensive product offering includes copper tube, coils, degreased medical fittings, refrigeration fittings, and tubing for plumbing, heating, refrigeration, air conditioning, and electrical systems. We also supply copper for specialised applications such as electrical busbars, medical gas installations, automotive braking circuits, and various other engineering uses.

Copper's proven performance and inherent properties make it a cost-effective solution for many pipework and tubing needs. Its key benefits include:

- High strength and ductility.
- Excellent corrosion resistance.
- Compatibility with a wide range of fluids.
- Outstanding thermal and electrical conductivity.
- Exceptional fabrication and joining properties.

With a wide range of Kitemarked products in stock, supported by quality systems certified to BS EN ISO 9001 standards, we are dedicated to providing first-class service at competitive prices. In accordance with ISO EN 14021, our domestic plumbing copper pipe is now made from 100% recycled copper!

We strive to make the industries we work with more sustainable and help our clients reduce their carbon footprint. Copper is one of the 'greenest' metals available, and it is estimated that 80% of all copper produced in the last 10,000 years is still in use today. In addition, it uses 15% – 40% less energy to recycle copper than to produce it, making its reuse entirely viable.

It has a host of beneficial properties when used as pipework. As well as being durable, it's is also antimicrobial, sustainable and can be repeatedly recycled, giving it an infinite lifecycle. In addition, we are so confident in the quality of our product we can provide guarantees spanning centuries.

At Lawton Tubes, we're tackling this issue head-on. We are proud to be working alongside the Copper Sustainability Partnership (CuSP) to challenge, educate and inform industry leaders about the benefits of copper. Our aim is to help combat the overuse of plastics and support the businesses we work with in implementing a renewable solution for the future, to safeguard the natural world.



ISO 9001 Quality Management Systems CERTIFIED

EM 0045

ISO 14001 Environmental Management

CERTIFIED EMS 706972

The nations copper specialist

TUBES

\_AVTON



The nations copper specialist

# Contents

|       | Plumbing Range |
|-------|----------------|
| Tubes | 7              |

| 10000               | 1141 |
|---------------------|------|
| Press               | 12   |
| End Feed            | 14   |
| Solder Ring         | 17   |
| Compression         | 20   |
| Pipe Fixtures       | 25   |
| Soldering Solutions | 26   |



| Tubes                  | 28 |
|------------------------|----|
| Fittings & Accessories | 32 |
| Maxipro                | 37 |
| K65                    | 40 |
| Pre-Insulated Coil     | 43 |

## LAWTON Medical Range

| Tubes                  | 46 |
|------------------------|----|
| Fittings & Accessories | 50 |





Lawton's plumbing and heating product range includes:

- Straight lengths
- Coils
- Fittings
- Plumbing Accessories

### Demand Lawton's Copper for:

- Commercial and domestic plumbing and heating installations
- Hot and Cold water systems, including carrying potable water
- Commercial and domestic heating systems
- Sanitation systems
- General engineering applications

Lawton's Plumbing and Heating products were used in many prestigious projects including:

- Millennium Stadium
- UK Olympic Stadium and Village
- Celtic Manor Hotel
- Houses of Parliament

## Demand Lawton Tubes for:

- Strength
- Quality
- Reliability











## **Straight Lengths and Coils**

Lawton Tubes supply EN1057 in plain tube and plain coils. Straight copper tube is available in various lengths. Diameters range from 6mm for small domestic installations to 219mm, for large commercial projects. We also have stocks of large diameter tubes available for immediate despatch. We also stock a range of soft temper coils from 6mm-22mm.

As an alternative to traditional 1.2mm thick EN1057, and providing you with considerable cost savings without compromising operating performance, we can also supply Lawton LiteX, a hard drawn, lightweight, kitemarked tube, available in 35 and 42mm\*.

| Size OD | Temper   | Wall | A | vailab | le in l | (metr | es) |
|---------|----------|------|---|--------|---------|-------|-----|
| (mm)    | Hardness | (mm) | 1 | 1.5    | 2       | 3     | 1   |
| 6mm     | R250     | 0.6  |   |        |         | •     |     |
| 8mm     | R250     | 0.6  |   |        |         | •     | 1   |
| 10mm    | R250     | 0.6  |   |        |         | •     | 1   |
| 15mm    | R250     | 0.7  | • | 100    | •       | •     | - 3 |
| 22mm    | R250     | 0.9  | ٠ | 3•3    | •       | •     | 3   |
| 28mm    | R250     | 0.9  | • |        | •       | •     |     |
| 35mm    | R250     | 1.2  |   |        | •       | •     | ł   |
| 42mm    | R250     | 1.2  |   |        | •       | •     | 3   |
| 54mm    | R290     | 1.2  |   |        | •       | •     |     |
| 67mm    | R290     | 1.2  |   |        |         | •     |     |
| 76mm    | R290     | 1.5  |   |        |         | •     | 9   |
| 108mm   | R290     | 1.5  |   |        |         | •     |     |
| 133mm   | R290     | 1.5  |   |        |         | •     |     |
| 159mm   | R290     | 2.0  |   |        |         | •     | -   |
| 219mm   | R290     | 3.0  |   |        |         |       |     |

**BS EN 1057** 

| Size OD | Temper   | Wall | A | vailabi | le in l | metro | es) |
|---------|----------|------|---|---------|---------|-------|-----|
| (mm)    | Hardness | (mm) | 1 | 1.5     | 2       | 3     | 6   |
| 35mm    | R290     | 1.0  |   |         | •       | •     | •   |
| 42mm    | R290     | 1.0  |   |         | •       |       |     |

#### Plain Straight Lengths TY **BS EN 1057**

LAWTON

| Size OD | Temper   | Wall | A | vailab | le in I | metro | es) |
|---------|----------|------|---|--------|---------|-------|-----|
| (mm)    | Hardness | (mm) | 1 | 1.5    | 2       | 3     | 6   |
| 6mm     | R250     | 0.8  |   |        |         | •     | •   |
| 8mm     | R250     | 0.8  |   |        |         | •     | •   |
| 10mm    | R250     | 0.8  |   |        |         | •     | •   |
| 15mm    | R250     | 1.0  |   |        |         | •     | •   |
| 22mm    | R250     | 1.2  |   |        |         | •     | •   |
| 28mm    | R250     | 1.2  |   |        |         | •     |     |
| 35mm    | R290     | 1.5  |   |        |         | •     |     |
| 42mm    | R290     | 1.5  |   |        |         | •2    | •   |
| 54mm    | R290     | 2.0  |   |        |         | •     | •   |
| 67mm    | R290     | 2.0  |   |        |         | •     | •   |
| 76mm    | R290     | 2.0  |   |        |         | •     | •   |
| 108mm   | R290     | 2.5  |   |        | -       | •     |     |

|         | EN 1057 / BS EN 1456 |             |   | L   | A\    |       |     |
|---------|----------------------|-------------|---|-----|-------|-------|-----|
| Size OD | Temper               | Temper Wall |   |     | le in | (metr | es) |
| (mm)    | Hardness             | (mm)        | 1 | 1.5 | 2     | 3     | 6   |
| 15mm    | R250                 | 0.7         | • | •   | •     | •     |     |
| 22mm    | R250                 | 0.9         |   |     | •     | •     |     |
| 28mm    | R250                 | 0.9         |   |     |       | •     |     |
| 35mm    | R290                 | 1.0         |   |     |       |       | 0   |
| 42mm    | R290                 | 1.0         |   |     |       | •     |     |
| 54mm    | R290                 | 1.0         |   |     |       | •     |     |

Plain Coils TW **BS EN 1057** 

Distant

## LAWTON

LAWTON

| Size OD | Temper   | Wall | Available in (met |    | etres) |
|---------|----------|------|-------------------|----|--------|
| (mm)    | Hardness | (mm) | 10                | 25 | 50     |
| 6mm     | R220     | 0.6  |                   |    |        |
| 8mm     | R220     | 0.6  | •                 |    | •      |
| 10mm    | R220     | 0.7  |                   |    |        |

Plain Coils TY BS EN 1057

| JEN 100 |          |      |        |            | TRELEY |
|---------|----------|------|--------|------------|--------|
| Size OD | Temper   | Wall | Availa | ible in (m | etres) |
| (mm)    | Hardness | (mm) | 10     | 25         | 50     |
| 15mm    | R220     | 1.0  |        | •          |        |
| 22mm    | R220     | 1.2  |        | ٠          |        |



All straight 15mm - 54mm Copper Tubes are stamped with:

- Tube size
- Kitemark
- · EN1057
- Temper (hardness)
- Manufacturer
- · Date (quarter)

67mm tubes and above are stamped at each end.



\* As hard drawn, these tubes are unsuitable for bending in "as supplied" condition



## **Plastic Coated Straight Lengths and Coils**

Lawton Tube plastic coated copper is manufactured to conform to BS EN 13349 / 1057. All tube is covered with a seamless plastic coating which protects the copper tube against abrasion and aggressive materials. The tube is also colour coded to fall in line with UK local authority specifications and BS 1710: 2014, "Specification for identification of pipelines and services".

Lawton Tubes supply plastic coated in straight lengths and coils which are covered under a 25 year guarantee against manufacturing defects. The straight lengths are available in a range of sizes including 3, 5.8 and 6 metre lengths. Coils are in 20, 25 and 50 metre options. In addition to the current extensive range, Lawton Tube offer the flexibility to manufacture plastic coated copper in virtually any size or colour to meet individual specifications.

\*In accordance with BS 6700 all products should be designed, installed and used to the appropriate specification. For further details please see Lawton Tube technical guide for recommendations.

| White | Plastic | Coated Copper Tubes |  |
|-------|---------|---------------------|--|
| RS EN | 133/9   | / BS EN 1057        |  |

| Size  | Temper   | Wall | Avai         | lable in (m | etres) |
|-------|----------|------|--------------|-------------|--------|
| (mm)  | Hardness | (mm) | 3            | 5.8         | 6      |
| 15mm  | R250     | 0.7  |              | *           | •      |
| 22mm  | R250     | 0.9  |              | •           | •      |
| 28mm  | R250     | 0.9  | •            | •           | •      |
| 35mm  | R290     | 1.0  |              |             | •      |
| 42mm  | R290     | 1.0  |              | •           | •      |
| 54mm  | R290     | 1.2  | ( <b>•</b> ) | •           | •      |
| 67mm  | R290     | 1.2  |              | •           | •      |
| 76mm  | R290     | 1.5  |              | •           | •      |
| 108mm | R290     | 1.5  |              |             | •      |

Yellow PVC Coated Tube

| BS EN 13349 / BS EN 1057 |          |      |                       |     | CORTED |
|--------------------------|----------|------|-----------------------|-----|--------|
| Size                     | Temper   | Wall | Available in (metres) |     |        |
| (mm)                     | Hardness | (mm) | 3                     | 5.8 | 6      |
| 15mm                     | R250     | 0.7  | •                     |     | •      |
| 22mm                     | R250     | 0.9  | •                     |     | •      |
| 28mm                     | R250     | 0.9  | •                     |     | •      |

Green Plastic Coated Copper Tubes BS EN 13349 / BS EN 1057 LAWTON

LAWTON

LAWTON

| BS EN 13349 / BS EN 1057 |          |      |      |              | CORTED |
|--------------------------|----------|------|------|--------------|--------|
| Size                     | Temper   | Wall | Avai | lable in (me | etres) |
| (mm)                     | Hardness | (mm) | 3    | 5.8          | 6      |
| 15mm                     | R250     | 1.0  |      |              | •      |
| 22mm                     | R250     | 1.2  |      |              | •      |
| 28mm                     | R250     | 1.2  |      |              | •      |
| 35mm                     | R290     | 1.5  |      |              | •      |
| 42mm                     | R290     | 1.5  |      |              | •      |
| 54mm                     | R290     | 2.0  |      |              | •      |
| 67mm                     | R290     | 2.0  |      |              | •      |
| 76mm                     | R290     | 2.0  |      |              | •      |
| 108mm                    | R290     | 2.5  |      |              | •      |

| PVC Coated Coils<br>BS EN 13349 / BS EN 1057 |          |      | LAWTO                 |              |       |
|--|----------|------|-----------------------|--------------|-------|
| Size   | Temper   | Wall | Available in (metres) |              |       |
| (mm)   | Hardness | (mm) | 20                    | 25           | 50    |
| 8mm  | R220     | 0.6  |                       | White        |       |
| 10mm   | R220     | 0.7  |                       | White/Yellow | White |
| 15mm   | R220     | 1.0  |                       | Yellow/Blue  |       |
| 22mm   | R220     | 1.2  |                       | Yellow/Blue  |       |
| 28mm   | R220     | 1.2  | Yellow                |              |       |







## **Class B Fire Rated Coil**

A fast and easy solution that meets the needs of Euroclass EN 13501-1 Rating of BL-s1,d0

- Backed by Lawton's reputation for quality, service and customer care for over 100 years.
- · Meets European Building and Fire Safety Regulations
- PE Foam B rated insulation matched with Lawton Copper tube gives total product confidence
- · Suitable for Heat Pump and Air Conditioning applications
- Available in 20mtr & 25mtr coils, in both 9mm and 13mm thickness
- · Easy installation. No glue, tape or messy powder
- Using pre insulated coil achieves pipework installation in less than half the time of conventional methods
- New improved profile developed for easy splitting during installation

#### Pair Coil

| Part Number   | Tube Dimensions               | Insulation<br>Thickness | Lengths | Pallet Qty<br>(coils) |
|---------------|-------------------------------|-------------------------|---------|-----------------------|
| LPC1438CB-9MM | 1/4" x 0.71mm & 3/8" x 0.81mm | 9mm (3/8")              | 25m     | 11                    |
| LPC1412CB-9MM | 1/4" x 0.71mm & 1/2" x 0.81mm | 9mm (3/8")              | 25m     | 11                    |
| LPC1458CB-9MM | 1/4" x 0.71mm & 5/8" x 0.91mm | 9mm (3/8")              | 25m     | 11                    |
| LPC3858CB-9MM | 3/8" x 0.81mm & 5/8" x 0.91mm | 9mm (3/8")              | 25m     | 10                    |







## **Fittings & Accessories**

Lawton Tubes provides a comprehensive selection of high-quality plumbing fittings and accessories designed to meet a wide range of applications. Our offerings include press fittings, end feed fittings, brazing fittings, solder ring, standard compression, DZR compression, brass and chrome pipe rings, along with essential items like solder, soldering flux and brazing rods.

Our innovative Lawton Press fittings are available in sizes ranging from 15-54mm, making them ideal for potable water, heating, and cooling systems. Backed by an industry-leading 30-year warranty, this product reflects our unwavering commitment to quality and reliability.





Box

### Straight Coupler



| Part Code | Size   | Bag | Box |
|-----------|--------|-----|-----|
| PFCP015   | 15mm   | 10  | 400 |
| PFCP022   | 22mm   | 10  | 170 |
| PFCP028   | 28mm   | 5   | 120 |
| PFCP035   | 35mm   | 2   | 70  |
| PFCP042   | 42mm   | 2   | 50  |
| PFCP054   | 54mm   | 2   | 26  |
| PFCP067   | 67mm   | 1   | 15  |
| PFCP076   | 76.1mm | 1   | 10  |
| PFCP108   | 108mm  | 1   | 6   |
|           |        |     |     |

## **Reducer** Coupler

| Part Code | Size       | Bag | Box |
|-----------|------------|-----|-----|
| PFCP02215 | 22 x 15 mm | 10  | 200 |
| PFCP02815 | 28 x 15 mm | 5   | 150 |
| PFCP02822 | 28 x 22 mm | 5   | 120 |
| PFCP03515 | 35 x 15 mm | 2   | 80  |

## Female Adaptor Brass

| Part Code     | Size          | Bag | Box |
|---------------|---------------|-----|-----|
| PFCPFI0151/2  | 15mm x 1/2"   | 10  | 250 |
| PFCPFI0153/4  | 15mm x 3/4"   | 10  | 200 |
| PFCPFI0221/2  | 22mm x 1/2"   | 10  | 200 |
| PFCPFI0223/4  | 22mm x 3/4"   | 10  | 200 |
| PFCPFI0281    | 28mm x 1"     | 10  | 120 |
| PFCPFI03511/4 | 35mm x 1 1/4" | 1   | 60  |
| PFCPFI04211/2 | 42mm x 1 1/2" | 1   | 40  |
| PFCPFI0542    | 54mm x 2"     | 9   | 25  |

## Male Adaptor Brass

Part Code



#### PECPMI0151/2 15mm x 1/2" 10 250 PFCPMI0153/4 15mm x 3/4" 10 200 PFCPMI0221/2 22mm x 1/2" 10 200 PFCPMI0223/4 22mm x 3/4" 10 200 PFCPMI0281 28mm x 1" 10 120 28mm x 3/4" PFCPMI0283/4 10 120 PFCPMI03511/4 35mm x 1 1/4" 1 60 PFCPMI04211/2 42mm x 1 1/2" 1 40 PFCPMI0542 54mm x 2" 1 25

## 90 Degree Elbow



|   | Part Code | Size        | Bag | Box |
|---|-----------|-------------|-----|-----|
|   | PFEL015   | 15mm x 90   | 10  | 220 |
|   | PFEL022   | 22mm x 90   | 10  | 120 |
|   | PFEL028   | 28mm x 90   | 5   | 60  |
|   | PFEL035   | 35mm x 90   | 2   | 40  |
|   | PFEL042   | 42mm x 90   | 2   | 26  |
| 1 | PFEL054   | 54mm x 90   | 2   | 12  |
|   | PFEL067   | 67mm x 90   | 1   | 5   |
|   | PFEL076   | 76.1mm x 90 | 1   | 3   |
|   | PFEL108   | 108mm x 90  | 1   | 2   |





| 5         |             |     |     |
|-----------|-------------|-----|-----|
| Part Code | Size        | Bag | Box |
| PFEL01545 | 15mm x 45   | 10  | 300 |
| PFEL02245 | 22mm x 45   | 10  | 150 |
| PFEL02845 | 28mm x 45   | 5   | 70  |
| PFEL03545 | 35mm x 45   | 2   | 50  |
| PFEL04245 | 42mm x 45   | 2   | 30  |
| PFEL05445 | 54mm x 45   | 2   | 12  |
| PFEL06745 | 66.7mm x 45 | 1   | 6   |
| PFEL07645 | 76.1mm x 45 | 1   | 3   |
| PFEL10845 | 108mm x 45  | -1  | 2   |
|           |             |     |     |

LAWTON

### 45 Degree Street Elbow

| Part Code  | Size                      | Bag | Box |
|------------|---------------------------|-----|-----|
| PFELS01545 | 15mm x 45                 | 10  | 300 |
| PFELS02245 | 22mm x 45                 | 10  | 150 |
| PFELS02845 | 28mm x 45                 | 5   | 70  |
| PFELS03545 | <u>3</u> 5mm <u>x 4</u> 5 | 2   | 50  |
| PFELS04245 | 42mm x 45                 | 2   | 30  |
| PFELS05445 | 54mm x 45                 | 2   | 12  |
| PFELS06745 | 66. <b>7</b> mm x 45      | 1   | 6   |
| PFELS07645 | 76.1mm x 45               | 1   | 3   |
| PFELS10845 | 108mm x 45                | 1   | 2   |

### 90 Degree Street Elbow

| Part Code | Size                 | Bag | Box |
|-----------|----------------------|-----|-----|
| PFELS015  | 15mm x 90            | 10  | 220 |
| PFELS022  | 22mm x 90            | 10  | 120 |
| PFELS028  | 28mm x 90            | 5   | 60  |
| PFELS035  | 35mm x 90            | 2   | 40  |
| PFELS042  | 42mm x 90            | 2   | 26  |
| PFELS054  | 54mm x 90            | 2   | 12  |
| PFELS067  | 66. <b>7</b> mm x 90 | 1   | 5   |
| PFELS076  | 76.1mm x 90          | 1   | 3   |
| PFELS108  | 108mm x 90           | 1   | 2   |

### **Slip Coupler**

| Part Code | Size | Bag | Box |
|-----------|------|-----|-----|
| PFSC015   | 15mm | 10  | 400 |
| PFSC022   | 22mm | 10  | 170 |
| PFSC028   | 28mm | 5   | 120 |
| PFSC035   | 35mm | 2   | 70  |
| PFSC042   | 42mm | 2   | 50  |
| PFSC054   | 54mm | 2   | 26  |
| PFSC067   | 67mm | 1   | 15  |











**45 Degree Elbow** 







Box

200

10 150

1 6

10

## **Reducer Press**



| Part Code  | Size         | Bag          | Box |
|------------|--------------|--------------|-----|
| PFRED02215 | 22 x 15mm    | 10           | 250 |
| PFRED02815 | 28 x 15mm    | 5            | 150 |
| PFRED02822 | 28 x 22mm    | 5            | 150 |
| PFRED03515 | 35 x 15mm    | 5            | 80  |
| PFRED03522 | 35 x 22mm    | 2            | 80  |
| PFRED03528 | 35 x 28mm    | 2            | 70  |
| PFRED04215 | 42 x 15mm    | 2            | 50  |
| PFRED04222 | 42 x 22mm    | 2            | 50  |
| PFRED04228 | 42 x 28mm    | 2            | 50  |
| PFRED04235 | 42 x 35mm    | 2            | 50  |
| PFRED05415 | 54 x 15mm    | 2            | 36  |
| PFRED05422 | 54 x 22mm    | 2            | 30  |
| PFRED05428 | 54 x 28mm    | 2            | 30  |
| PFRED05435 | 54 x 35mm    | 2            | 30  |
| PFRED05442 | 54 x 42mm    | 2            | 30  |
| PFRED06728 | 67 x 28mm    | 1            | 15  |
| PFRED06735 | 67 x 35mm    | 1            | 15  |
| PFRED06742 | 67 x 42mm    | 1            | 15  |
| PFRED06754 | 66.7 x 54mm  | 1            | 15  |
| PFRED07628 | 76.1 x 28mm  | 1            | 15  |
| PFRED07635 | 76.1 x 35mm  | 1            | 15  |
| PFRED07642 | 76.1 x 42mm  | 1            | 15  |
| PFRED07654 | 76.1 x 54mm  | 1            | 15  |
| PFRED07667 | 76.1 x 67mm  | 1            | 15  |
| PFRED10828 | 108 x 28mm   | 1            | 6   |
| PFRED10835 | 108 x 35mm   | ( <b>1</b> ) | 6   |
| PFRED10842 | 108 x 42mm   | া            | 6   |
| PFRED10854 | 108 x 54mm   | 1            | 6   |
| PFRED10867 | 108 x 66.7mm | 1            | 6   |
| 00000      | 100 70 1     |              | -   |



## Straight Swivel Connector





108 x 76.1mm

## Equal Tee Press

PFRED10876

|   | Part Code | Size   | Bag | Box |
|---|-----------|--------|-----|-----|
| A | PFTE015   | 15mm   | 10  | 150 |
| 1 | PFTE022   | 22mm   | 10  | 70  |
|   | PFTE028   | 28mm   | 5   | 35  |
|   | PFTE035   | 35mm   | 2   | 26  |
|   | PFTE042   | 42mm   | 2   | 20  |
| 1 | PFTE054   | 54mm   | 2   | 10  |
|   | PFTE067   | 66.7mm | 1   | 5   |
|   | PFTE076   | 76.1mm | 1   | 4   |
|   | PFTE108   | 108mm  | 1   | 1   |
|   |           |        |     |     |



### Female Tee Brass

| Part Code     | Size               | Bag | Box |
|---------------|--------------------|-----|-----|
| PFTEF015151/2 | 15mm x 15mm x 1/2" | 10  | 150 |
| PFTEF022221/2 | 22mm x 22mm x 1/2" | 10  | 100 |
| PFTEF022223/4 | 22mm x 22mm x 3/4" | 10  | 100 |
| PFTEF028281   | 28mm x 28mm x 1"   | 10  | 50  |
| PFTEF028281/2 | 28mm x 28mm x 1/2" | 10  | 50  |

| Part Code   | Size               | Бад | BOX |
|-------------|--------------------|-----|-----|
| PFTE0151522 | 15mm x 15mm x 22mm | 10  | 100 |
| PFTE0221515 | 22mm x 15mm x 15mm | 10  | 100 |
| PFTE0221522 | 22mm x 15mm x 22mm | 10  | 60  |
| PFTE0222215 | 22mm x 22mm x 15mm | 10  | 100 |
| PFTE0222228 | 22mm x 22mm x 28mm | 10  | 60  |
| PFTE0281515 | 28mm x 15mm x 15mm | 5   | 60  |
| PFTE0281522 | 28mm x 15mm x 22mm | 5   | 50  |
| PFTE0281528 | 28mm x 15mm x 28mm | 5   | 50  |
| PFTE0282215 | 28mm x 22mm x 15mm | 5   | 50  |
| PFTE0282222 | 28mm x 22mm x 22mm | 5   | 50  |
| PFTE0282228 | 28mm x 22mm x 28mm | 5   | 50  |
| PFTE0282815 | 28mm x 28mm x 15mm | 5   | 60  |
| PFTE0282822 | 28mm x 28mm x 22mm | 5   | 50  |
| PFTE0352222 | 35mm x 22mm x 22mm | 5   | 30  |
| PFTE0352235 | 35mm x 22mm x 35mm | 5   | 25  |
| PFTE0352822 | 35mm x 28mm x 22mm | 5   | 30  |
| PFTE0352835 | 35mm x 28mm x 35mm | 5   | 25  |
| PFTE0353515 | 35mm x 35mm x 15mm | 2   | 30  |
| PFTE0353522 | 35mm x 35mm x 22mm | 2   | 30  |
| PFTE0353528 | 35mm x 35mm x 28mm | 2   | 24  |
| PFTE0423535 | 42mm x 35mm x 35mm | 2   | 30  |
| PFTE0424215 | 42mm x 42mm x 15mm | 2   | 24  |
| PFTE0424222 | 42mm x 42mm x 22mm | 2   | 24  |
| PFTE0424228 | 42mm x 42mm x 28mm | 2   | 24  |
| PFTE0424235 | 42mm x 42mm x 35mm | 2   | 20  |
| PFTE0545415 | 54mm x 54mm x 15mm | 2   | 16  |
| PFTE0545422 | 54mm x 54mm x 22mm | 2   | 12  |
| PFTE0545428 | 54mm x 54mm x 28mm | 2   | 12  |
| PFTE0545435 | 54mm x 54mm x 35mm | 2   | 10  |



## End Cap Press

| Part Code | Size | Bag | Box |
|-----------|------|-----|-----|
| PFEC015   | 15mm | 10  | 600 |
| PFEC022   | 22mm | 10  | 400 |
| PFEC028   | 28mm | 5   | 220 |
| PFEC035   | 35mm | 2   | 100 |
| PFEC042   | 42mm | 2   | 70  |
| PFEC054   | 54mm | 2   | 50  |

PFTE0545442 54mm x 54mm x 42mm 2 10







Product Catalogue Version VII 13



Ban

### **Reducer Tee Press**

Part Code

## End-feed fittings BS EN 1254-1

Coupling



1 25

1 10



| Part Code | Size   | Bag | Box  |
|-----------|--------|-----|------|
| EFCP008   | 8mm    | 10  | 5000 |
| EFCP010   | 10mm   | 10  | 2400 |
| EFCP015   | 15mm   | 25  | 2000 |
| EFCP022   | 22mm   | 10  | 700  |
| EFCP028   | 28mm   | 10  | 300  |
| EFCP035   | 35mm   | 1   | 150  |
| EFCP042   | 42mm   | 1   | 125  |
| EFCP054   | 54mm   | 1   | 60   |
| EFCP067   | 66.7mm | 1   | 40   |
| EFCP076   | 76.1mm | 1   | 25   |
| EFCP108   | 108mm  | 1   | 10   |
| EFCP133   | 133mm  | 1   | 5    |
| EFCP159   | 159mm  | 1   | 5    |
| EFCP219   | 219mm  | 1   | 1    |

## Metric to Imperial Coupling

| 1 | EFCP0151/2  | 15mm x 1/2"   | 10 | 1200 |
|---|-------------|---------------|----|------|
|   | EFCP0223/4  | 22mm x 3/4"   | 10 | 800  |
|   | EFCP0281    | 28mm x 1"     | 10 | 250  |
|   | EFCP03511/4 | 35mm x 1.1/4" | 10 | 200  |
|   |             |               |    |      |

| Long Tail Reducer |             |    |      |
|-------------------|-------------|----|------|
| EFREDLT0158       | 15mm x 8mm  | 25 | 1000 |
| EFREDLT01510      | 15mm x 10mm | 25 | 1000 |

|      | Reducer Couplin | g (C X C)     |    |      |
|------|-----------------|---------------|----|------|
|      | EFCP0108        | 10mm x 8mm    | 10 | 2000 |
| DATE | EFCP0158        | 15mm x 8mm    | 10 | 2000 |
|      | EFCP01510       | 15mm x 10mm   | 25 | 1200 |
| 100  | EFCP01512       | 15mm x 12mm   | 10 | 1200 |
|      | EFCP02215       | 22mm x 15mm   | 10 | 800  |
|      | EFCP02815       | 28mm x 15mm   | 10 | 500  |
|      | EFCP02822       | 28mm x 22mm   | 10 | 400  |
|      | EFCP03515       | 35mm x 15mm   | 1  | 200  |
|      | EFCP03522       | 35mm x 22mm   | 1  | 200  |
|      | EFCP03528       | 35mm x 28mm   | 1  | 150  |
|      | EFCP04215       | 42mm x 15mm   | 1  | 125  |
|      | EFCP04222       | 42mm x 22mm   | 1  | 125  |
|      | EFCP04228       | 42mm x 28mm   | 1  | 125  |
|      | EFCP04235       | 42mm x 35mm   | 1  | 125  |
|      | EFCP05415       | 54mm x 15mm   | 1  | 100  |
|      | EFCP05422       | 54mm x 22mm   | 1  | 100  |
|      | EFCP05428       | 54mm x 28mm   | 1  | 100  |
|      | EFCP05435       | 54mm x 35mm   | 1  | 80   |
|      | EFCP05442       | 54mm x 42mm   | 1  | 75   |
|      | EFCP06754       | 66.7mm x 54mm | 1  | 40   |
|      | EFCP07635       | 76.1mm x 35mm | 1  | 25   |
|      | EFCP07642       | 76.1mm x 42mm | 1  | 25   |
|      | EFCP07654       | 76.1mm x 54mm | 1  | 25   |
|      |                 |               |    |      |

76.1mm x 66.7mm

108mm x 76.1mm

EFCP07667

EFCP10876

| and the lot of the lot | Part Code                | Size                       | Bag | Box        |
|--|--------------------------|----------------------------|-----|------------|
| -19  | EFSC015                  | 15mm                       | 25  | 1200       |
| and the second   | EFSC022                  | 22mm                       | 10  | 400        |
| and the same of  | EFSC028                  | 28mm                       | 10  | 300        |
|  | EFSC035                  | 35mm                       | 1   | 200        |
|  | EFSC042                  | 42mm                       | 1   | 120        |
|  | EFSC054                  | 54mm                       | 1   | 50         |
|  | Fitting Reducer (        |                            |     |            |
|  | EFRED0108                | 10mm x 8mm                 | 10  | 2000       |
|  | EFRED0158                | 15mm x 8mm                 | 10  | 2000       |
|  | EFRED01510               | 15mm x 10mm                | 25  | 1800       |
|  | EFRED02215               | 22mm x 15mm                | 10  | 800        |
|  | EFRED02815               | 28mm x 15mm                | 10  | 400        |
|  | EFRED02822               | 28mm x 22mm                | 10  | 300        |
|  | EFRED03515               | 35mm x 15mm                | 1   | 200        |
|  | EFRED03522               | 35mm x 22mm                | -   | 200        |
|  | EFRED03528<br>EFRED04215 | 35mm x 28mm                | 1   | 150        |
|  | EFRED04215               | 42mm x 15mm<br>42mm x 22mm | 1   | 150<br>125 |
|  | EFRED04228               | 42mm x 28mm                | 1   | 125        |
|  | EFRED04226               | 42mm x 35mm                | 1   | 100        |
|  | EFRED05415               | 54mm x 15mm                | 1   | 100        |
|  | EFRED05422               | 54mm x 75mm                | i   | 100        |
|  | EFRED05428               | 54mm x 28mm                | 1   | 100        |
|  | EFRED05435               | 54mm x 35mm                | 1   | 80         |
|  | EFRED05442               | 54mm x 42mm                | 1   | 80         |
|  | EFRED06728               | 66.7mm x 28mm              | 1   | 50         |
|  | EFRED06735               | 66.7mm x 35mm              | 1   | 50         |
|  | EFRED06742               | 66.7mm x 42mm              | 1   | 50         |
|  | EFRED06754               | 66.7mm x 54mm              |     | 50         |
|  | EFRED07635               | 76.1mm x 35mm              | 1   | 50         |
|  | EFRED07642               | 76.1mm x 42mm              | 1   | 40         |
|  | EFRED07654               | 76.1mm x 54mm              | 1   | 40         |
|  | EFRED07667               | 76.1mm x 66.7mm            | 1   | 25         |
|  | EFRED10842               | 108mm x 42mm               | 1   | 10         |
|  | EFRED10854               | 108mm x 54mm               | 1   | 10         |
|  | EFRED10867               | 108mm x 66.7mm             | 1   | 10         |
|  | EFRED10876               | 108mm x 76.1mm             | 1   | 10         |
|  | EFRED13367               | 133mm x 66.7mm             | 1   | 10         |
|  | EFRED13376               | 133 x 76.1mm               | 1   | 10         |
|  | EFRED133108              | 133mm x 108mm              | 1   | 5          |
|  | EFRED15976               | 159mm x 76.1mm             | 1   | 5          |
|  | EFRED159108              | 159mm x 108mm              | 1   | 5          |
|  | EFRED159133              | 159mm x 133mm              | 1   | 5          |
|  | EFRED219159              | 219mm x 159mm              | 1   | 1          |
|  |                          |                            |     |            |

Slip Coupling

## LAWTON



|                         |     | 1      |    |   |
|-------------------------|-----|--------|----|---|
|                         |     | 1      | 11 | 1 |
|                         | - 1 |        | 28 |   |
|                         | 1   | 8      |    |   |
|                         | -   | Securi | 10 |   |
| a shares                |     |        | 19 |   |
| No. of Concession, Name | -   | 10     |    |   |
|                         |     |        |    |   |

## LAWTON 90 Degree Long Tail Street Elbo

| er Erbovv |     | CHD-FILLD |
|-----------|-----|-----------|
| Size      | Bag | Box       |
| 15mm      | 10  | 200       |
| 22mm      | 10  | 200       |

| Straight Tap Conn | ector |
|-------------------|-------|
| Part Code         |       |
| <br>EFSTC0151/2   |       |
| EFSTC0153/4       |       |

## LAWTON

10 900

10 300

5 150

1 10

10 500

500

400

300

300

100

200

150

150

150 150

150

150

80

125

100

80

100

1 100

10

10

10

10

10

10

10

10

10

10

10

10

10

1

1

1

1

35mm x 15mm x 35mm

35mm x 22mm x 35mm

| _ | ou aight top contine | oron .      |     |     |
|---|----------------------|-------------|-----|-----|
| - | Part Code            | Size        | Bag | Box |
| - | EFSTC0151/2          | 15mm x 1/2" | 10  | 800 |
|   | EFSTC0153/4          | 15mm x 3/4" | 10  | 600 |
|   | EFSTC0223/4          | 22mm x 3/4" | 10  | 400 |

15mm x 1/2"

22mm x 3/4"



| EFEL008 | 8mm   | 100  | 5000   |
|---------|---|--|--|
| EFEL010 | 10mm  | 25   | 4000   |
| EFEL015 | 15mm  | 25   | 1500   |
| EFEL022 | 22mm  | 25   | 500  |
| EFEL028 | 28mm  | 10   | 200  |
| EFEL035 | 35mm  | 1  | 125  |
| EFEL042 | 42mm  | 1  | 70   |
| EFEL054 | 54mm  | 1  | 40   |
| EFEL067 | 66.7mm  | 1  | 20   |
| EFEL076 | 76.1mm  | 1  | 20   |
| EFEL108 | 108mm   | 1  | 5  |
| EFEL133 | 133mm   | 1  | 2  |
| EFEL159 | 159mm   | 1  | 2  |
| EFEL219 | 219mm   | 1  | 1  |
|         | EFEL010         EFEL015         EFEL022         EFEL035         EFEL042         EFEL054         EFEL067         EFEL076         EFEL108         EFEL133         EFEL159 | EFEL010         10mm           EFEL015         15mm           EFEL022         22mm           EFEL028         28mm           EFEL035         35mm           EFEL042         42mm           EFEL054         54mm           EFEL076         66.7mm           EFEL076         76.1mm           EFEL108         108mm           EFEL133         133mm           EFEL159         159mm | EFEL010         10mm         25           EFEL015         15mm         25           EFEL022         22mm         25           EFEL028         28mm         10           EFEL035         35mm         1           EFEL042         42mm         1           EFEL054         54mm         1           EFEL067         66.7mm         1           EFEL076         76.1mm         1           EFEL108         108mm         1           EFEL133         133mm         1           EFEL159         159mm         1 |





600 300 100

10

5

3



Bent Tap Connector EFBTC0151/2

EFBTC0223/4

|     | Full Cross Overs |      |   |     |
|-----|------------------|------|---|-----|
|     | EFFC0015         | 15mm | 5 | 400 |
| -   | EFFC0022         | 22mm | 5 | 150 |
| 100 | EFFC0028         | 28mm | 5 | 90  |

## Long Radius Elbow

art Co EFELSLT015 EFELSLT022 **90 Degree Elbow** 

|    | EFELLR015 | 15mm   | 10 |
|----|-----------|--------|----|
|    | EFELLR022 | 22mm   | 10 |
| 1  | EFELLR028 | 28mm   | 10 |
| 11 | EFELLR067 | 66.7mm | 1  |
|    | EFELLR076 | 76.1mm | 1  |
|    | EFELLR108 | 108mm  | 1  |



## 45 Degree Elbow

| EFEL00845  | 8mm    | 10 | 1000 |
|------------|--------|----|------|
| EFEL01045  | 10mm   | 10 | 800  |
| EFEL01545  | 15mm   | 25 | 1500 |
| EFEL02245  | 22mm   | 25 | 500  |
| EFEL02845  | 28mm   | 10 | 300  |
| EFEL03545  | 35mm   | 1  | 125  |
| EFEL04245  | 42mm   | 1  | 100  |
| EFEL05445  | 54mm   | 1  | 40   |
| EFEL06745  | 66.7mm | 1  | 20   |
| EFEL07645  | 76.1mm | 1  | 20   |
| EFEL10845  | 108mm  | 1  | 5    |
| EFEL13345  | 133mm  | 1  | 3    |
| EFEL15945  | 159mm  | 1  | 2    |
| FFFI 21945 | 219mm  | 1  | 1    |





25

1

1 40 1 25

1 100

1 20



42mm

54mm

66.7mm

76.1mm



#### EFELS04245 EFELS05445

EFELS01545

EFELS02245

EFELS02845

EFELS03545

EFELS06745

EFELS07645







## EFAV015

| EFAV015                    | 15mm      | 25 | 500 |
|----------------------------|-----------|----|-----|
| EFAV022                    | 22mm      | 25 | 500 |
|                            |           |    |     |
| Cylinder Union             |           |    |     |
| Cylinder Union<br>EFCU0221 | 22mm x 1" | 10 | 200 |

| End Cap |        |    |      |
|---------|--------|----|------|
| EFEC008 | 8mm    | 10 | 2000 |
| EFEC010 | 10mm   | 10 | 2000 |
| EFEC015 | 15mm   | 25 | 1800 |
| EFEC022 | 22mm   | 10 | 1000 |
| EFEC028 | 28mm   | 10 | 500  |
| EFEC035 | 35mm   | 1  | 250  |
| EFEC042 | 42mm   | 1  | 200  |
| EFEC054 | 54mm   | 1  | 100  |
| EFEC067 | 66.7mm | 1  | 50   |
| EFEC076 | 76.1mm | 1  | 50   |
| EFEC108 | 108mm  | 1  | 10   |
| EFEC133 | 133mm  | 1  | 10   |

## Equal Tee

EFEC159

| EFTE008 | 8mm    | 10 | 2000 |
|---------|--------|----|------|
| EFTE010 | 10mm   | 10 | 1600 |
| EFTE015 | 15mm   | 25 | 800  |
| EFTE022 | 22mm   | 10 | 300  |
| EFTE028 | 28mm   | 10 | 150  |
| EFTE035 | 35mm   | 1  | 80   |
| EFTE042 | 42mm   | 1  | 50   |
| EFTE054 | 54mm   | 1  | 25   |
| EFTE067 | 66.7mm | 1  | 15   |
| EFTE076 | 76.1mm | 1  | 10   |
| EFTE108 | 108mm  | 1  | 4    |
| EFTE133 | 133mm  | 1  | 2    |
| EFTE159 | 159mm  | 1  | 1    |
| EETE219 | 219mm  | 1  | 1    |

159mm

#### Reducing Tee EFTE0151510 15mm x 15mm x 10mm EFTE0151522 15mm x 15mm x 22mm EFTE0221515 22mm x 15mm x 15mm EFTE0221522 22mm x 15mm x 22mm EFTE0222215 22mm x 22mm x 15mm EFTE0222228 22mm x 22mm x 28mm EFTE0281515 28mm x 15mm x 15mm EFTE0281528 28mm x 15mm x 28mm EFTE0282215 28mm x 22mm x 15mm EFTE0282222 28mm x 22mm x 22mm EFTE0282228 28mm x 22mm x 28mm EFTE0282815 28mm x 28mm x 15mm EETE0282822 28mm x 28mm x 22mm EFTE0282835 28mm x 28mm x 35mm EFTE0352222 35mm x 22mm x 22mm EFTE0352822 35mm x 28mm x 22mm EFTE0352828 35mm x 28mm x 28mm

EFTE0351535

EFTE0352235

| Product Catalogue | Version VII 15 |
|-------------------|----------------|
|-------------------|----------------|

Bag Box

10 400

10 300

10 200

10 200

10 400

10 150

## LAWTON



|               |                          |     | CHU+FCCU |
|---------------|--------------------------|-----|----------|
| Part Code     | Size                     | Bag | Box      |
| EFTE0353522   | 35mm x 35mm x 22mm       | 1   | 125      |
| EFTE0353515   | 35mm x 35mm x 15mm       | 1   | 125      |
| EFTE0353528   | 35mm x 35mm x 28mm       | 1   | 100      |
| EFTE0352835   | 35mm x 28mm x 35mm       | 1   | 80       |
| EFTE0421542   | 42mm x 15mm x 42mm       | 1   | 50       |
| EFTE0422828   | 42mm x 28mm x 28mm       | 1   | 80       |
| EFTE0422242   | 42mm x 22mm x 42mm       | 1   | 50       |
| EFTE0422842   | 42mm x 28mm x 42mm       | 1   | 50       |
| EFTE0423528   | 42mm x 35mm x 28mm       | 1   | 70       |
| EFTE0423535   | 42mm x 35mm x 35mm       | 1   | 50       |
| EFTE0423542   | 42mm x 35mm x 42mm       | 1   | 50       |
| EFTE0424215   | 42mm x 42mm x 15mm       | 1   | 80       |
| EFTE0424222   | 42mm x 42mm x 22mm       | 1   | 80       |
| EFTE0424228   | 42mm x 42mm x 28mm       | 1   | 60       |
| EFTE0424235   | 42mm x 42mm x 35mm       | 1   | 50       |
| EFTE0545415   | 54mm x 54mm x 15mm       | 1   | 50       |
| EFTE0545422   | 54mm x 54mm x 22mm       | 1   | 40       |
| EFTE0545428   | 54mm x 54mm x 28mm       | 1   | 40       |
| EFTE0545435   | 54mm x 54mm x 35mm       | 1   | 40       |
| EFTE0544242   | 54mm x 42mm x 42mm       | 1   | 35       |
| EFTE0544254   | 54mm x 42mm x 54mm       | 1   | 25       |
| EFTE0545442   | 54mm x 54mm x 42mm       | 1   | 40       |
| EFTE0676735   | 66.7mm x 66.7mm x 35mm   | 1   | 15       |
| EFTE0676742   | 66.7mm x 66.7mm x 42mm   | 1   | 15       |
| EFTE0676754   | 66.7mm x 66.7mm x 54mm   | 1   | 15       |
| EFTE0676728   | 66.7mm x 66.7mm x 28mm   | 1   | 25       |
| EFTE0767628   | 76.1mm x 76.1mm x 28mm   | 1   | 20       |
| EFTE0767635   | 76.1mm x 76.1mm x 35mm   | 1   | 15       |
| EFTE0767642   | 76.1mm x 76.1mm x 42mm   | 1   | 15       |
| EFTE0767654   | 76.1mm x 76.1mm x 54mm   | 1   | 10       |
| EFTE0767667   | 76.1mm x 76.1mm x 66.7mm | 1   | 10       |
| EFTE10810835  | 108mm x 108mm x 35mm     | 1   | 5        |
| EFTE10810842  | 108mm x 108mm x 42mm     | 1   | 5        |
| EFTE10810854  | 108mm x 108mm x 54mm     | 1   | 5        |
| EFTE10810867  | 108mm x 108mm x 66.7mm   | 1   | 5        |
| EFTE10810876  | 108mm x 108mm x 76.1mm   | 1   | 5        |
| EFTE15915976  | 159mm x 159mm x 76.1mm   | 1   | 2        |
| EFTE159159108 | 159mm x 159mm x 108mm    | 1   | 2        |
| EFTE159159133 | 159mm x 159mm x 133mm    | 1   | 1        |
|               |                          |     |          |



#### Male Adaptor

| EFCOMI0151/2  | 15mm x 1/2"     | 25 | 600 |
|---------------|-----------------|----|-----|
| EFCOMI0151/4  | 15mm x 1/4"     | 3  | 600 |
| EFCOMI0223/4  | 22mm x 3/4"     | 10 | 400 |
| EFCOMI0281    | 28mm x 1"       | 10 | 300 |
| EFCOMI03511/4 | 35mm x 1.1/4"   | 1  | 150 |
| EFCOMI04211/2 | 42mm x 1.1/2"   | 1  | 150 |
| EFCOMI0542    | 54mm x 2"       | 1  | 50  |
| EFCOMI06721/2 | 66.7mm x 2.1/2" | 1  | 35  |
| EFCOMI0763    | 76mm x 3"       | 1  | 25  |
| EFCOMI1084    | 108mm x 4"      | 1  | 10  |
|               |                 |    |     |



## Female Adaptor

| 15mm x 1/2"     | 25  | 600  |
|-----------------|---|--|
| 15mm x 1/4"     | 25  | 600  |
| 15mm x 3/4"     | 25  | 600  |
| 22mm x 1/2"     | 10  | 400  |
| 22mm x 3/4"     | 10  | 400  |
| 28mm x 1"       | 10  | 300  |
| 28mm x 3/4"     | 10  | 150  |
| 35mm x 1.1/4"   | 1   | 150  |
| 42mm x 1.1/2"   | 1   | 75   |
| 54mm x 2"       | 1   | 75   |
| 66.7mm x 2.1/2" | 1   | 50   |
| 76mm x 3"       | 1   | 25   |
| 108mm x 4"      | 1   | 10   |
|                 | 15mm x 1/4"<br>15mm x 3/4"<br>22mm x 1/2"<br>22mm x 3/4"<br>28mm x 1"<br>28mm x 3/4"<br>35mm x 1.1/4"<br>42mm x 1.1/2"<br>54mm x 2"<br>66.7mm x 2.1/2"<br>76mm x 3" | 15mm x 1/4"         25           15mm x 3/4"         25           22mm x 1/2"         10           22mm x 3/4"         10           28mm x 3/4"         10           35mm x 1.1/4"         1           42mm x 1.1/2"         1           54mm x 2"         1           66.7mm x 2.1/2"         1           76mm x 3"         1 |

|   | - SAR | 1      | 1 |
|---|-------|--------|---|
| 1 |       | 0      | 1 |
|   |       | at the | - |
|   | 1     |        |   |
|   | -     | K      |   |



Male Elbow Part Cod



15mm x 1/2"

22mm x 3/4"

28mm x 1"

15mm x 1/2"

15mm x 1/2"

22mm x 3/4"

|   | Gas Wall Plate |  |
|---|----------------|--|
| D | EFELWC0151/2   |  |

## ate

Female Reducer Tee EFELWL0151/2

EFELWL0223/4

|   | 100                |   |
|---|--------------------|---|
|   | Contraction of the |   |
| A | 1.12 - 4           |   |
|   | 1)                 | 1 |
|   | - Come             | 1 |



#### Wallplate Elbow EFTEFI015151/2 15mm x 15mm x 1/2" 10 250 EFTEFI022221/2 22mm x 22mm x 1/2" 10 150 EFTEFI022223/4 22mm x 22mm x 3/4" 10 200 EFTEFI028281/2 28mm x 28mm x 1/2" 10 150 EFTEFI028281 28mm x 28mm x 1" 10 100

### Male Union Adaptor

| EFUNM0151/2  | 15mm x 1/2"   | 10 | 400 |
|--------------|---------------|----|-----|
| EFUNM0223/4  | 22mm x 3/4"   | 10 | 200 |
| EFUNM0281    | 28mm x 1"     | 10 | 140 |
| EFUNM03511/4 | 35mm x 1.1/2" | 5  | 30  |
| EFUNM04211/2 | 42mmx 1.1/2"  | 5  | 50  |
| EFUNM0542    | 54mm x 2"     | 5  | 25  |
| EFUNM06721/2 | 67mm x 2.1/2" | 1  | 25  |
| EFUNM0763    | 76mm x 3"     | 1  | 15  |

| Part Code  | Size        | Bag | Box |
|------------|-------------|-----|-----|
| SRRED02815 | 28mm x 15mm | 25  | 500 |
| SRRED02822 | 28mm x 22mm | 25  | 500 |
| SRRED03515 | 35mm x 15mm | 25  | 400 |
| SRRED03522 | 35mm x 22mm | 25  | 300 |
| SRRED03528 | 35mm x 28mm | 15  | 210 |
| SRRED04215 | 42mm x 15mm | 10  | 250 |
| SRRED04222 | 42mm x 22mm | 10  | 200 |
| SRRED04228 | 42mm x 28mm | 10  | 200 |
| SRRED04235 | 42mm x 35mm | 10  | 140 |
| SRRED05415 | 54mm x 15mm | 5   | 120 |
| SRRED05422 | 54mm x 22mm | 5   | 120 |
| SRRED05428 | 54mm x 28mm | 5   | 100 |
| SRRED05435 | 54mm x 35mm | 5   | 100 |
| SRRED05442 | 54mm x 42mm | 5   | 100 |

## 90 Degree Elbow

| SREL008 | 8mm  | 50 | 1800 |
|---------|------|----|------|
| SREL010 | 10mm | 50 | 1800 |
| SREL015 | 15mm | 50 | 1200 |
| SREL022 | 22mm | 25 | 400  |
| SREL028 | 28mm | 20 | 200  |
| SREL035 | 35mm | 10 | 120  |
| SREL042 | 42mm | 5  | 70   |
| SREL054 | 54mm | 2  | 36   |



| 45 Degree Elbow |      |    |      |
|-----------------|------|----|------|
| SREL01545       | 15mm | 50 | 1400 |
| SREL02245       | 22mm | 25 | 450  |
| SREL02845       | 28mm | 20 | 220  |
| SREL03545       | 35mm | 10 | 140  |
| SREL04245       | 42mm | 5  | 80   |
| SREL05445       | 54mm | 2  | 40   |





| 1D | SRELB0151/2 | 15mm x 1/2" | 25 | 400 |
|----|-------------|-------------|----|-----|
| T  |             |             |    |     |















## Solder Ring Fittings BS EN 1254-1



| Coupling  |      |     | SOLDER RING |
|-----------|------|-----|-------------|
| Part Code | Size | Bag | Box         |
| SRCP008   | 8mm  | 50  | 3000        |
| SRCP010   | 10mm | 50  | 3000        |
| SRCP015   | 15mm | 50  | 1800        |
| SRCP022   | 22mm | 25  | 600         |
| SRCP028   | 28mm | 25  | 350         |
| SRCP035   | 35mm | 10  | 210         |
| SRCP042   | 42mm | 5   | 100         |
| SRCP054   | 54mm | 5   | 70          |

### **Reducing Coupler**

|         | A REAL PROPERTY AND A CONTRACTOR |             |    |     |
|---------|----------------------------------|-------------|----|-----|
|         | SRCP02215                        | 22mm x 15mm | 50 | 800 |
| 1 m     | SRCP02815                        | 28mm x 15mm | 25 | 600 |
| La hand | SRCP02822                        | 28mm x 22mm | 25 | 350 |
|         | SRCP04235                        | 42mm x 35mm | 5  | 120 |
|         | 0101 04200                       | 42mm X 00mm | 2  | 120 |

## Slip Coupling

| 1 | SRSC015 | 15mm | 50 | 1800 |
|---|---------|------|----|------|
|   | SRSC022 | 22mm | 25 | 600  |
|   | SRSC028 | 28mm | 10 | 350  |



## Straight Female Connector

| SRCPFI0151/2  | 15mm x 1/2"   | 25 | 600 |
|---------------|---------------|----|-----|
| SRCPFI0223/4  | 22mm x 3/4"   | 25 | 400 |
| SRCPFI0281    | 28mm x 1"     | 10 | 300 |
| SRCPFI03511/4 | 35mm x 1 1/4" | 5  | 150 |
| SRCPFI04211/2 | 42mm x 1 1/2" | 5  | 100 |
| SRCPFI0542    | 52mm x 2"     | 2  | 70  |



## Straight Male Connector

| SRCPMI0151/2  | 15mm x 1/2"   | 25 | 600 |
|---------------|---------------|----|-----|
| SRCPMI0223/4  | 22mm x 3/4"   | 25 | 400 |
| SRCPMI0281    | 28mm x 1"     | 10 | 300 |
| SRCPMI03511/4 | 35mm x 1 1/4" | 5  | 150 |
| SRCPMI04211/2 | 42mm x 1 1/2" | 5  | 100 |
| SRCPMI0542    | 54mm x 2"     | 2  | 70  |



#### Fitting Reducer SRRED0158 25 1800 15mm x 8mm 25 1800 SRRED01510 15mm x 10mm SRRED02215 22mm x 15mm 25 900

Product Catalogue Version VII 17



90 Degree Street Elbow

| Part Code | Size | Bag | Box  |
|-----------|------|-----|------|
| SRELS015  | 15mm | 25  | 1200 |
| SRELS022  | 22mm | 25  | 400  |
| SRELS028  | 28mm | 10  | 200  |

| Reducing Tee |
|--------------|
| Part Code    |
| SRTE015152   |
| SRTE022151   |

## End Cap

| 5 | SREC015 | 15mm | 50 | 2200 |
|---|---------|------|----|------|
| 5 | SREC022 | 22mm | 50 | 1000 |
| 5 | SREC028 | 28mm | 25 | 500  |
| 9 | SREC035 | 35mm | 10 | 250  |
| 5 | SREC042 | 42mm | 5  | 150  |
| 5 | SREC054 | 54mm | 2  | 120  |

### Straight Tap Connector

| SRSTC0151/2 | 15mmx x 1/2" | 25 | 300 |
|-------------|--------------|----|-----|
| SRSTC0153/4 | 15mm x 3/4"  | 25 | 300 |
| SRSTC0223/4 | 22mm x 3/4"  | 25 | 200 |



#### Female Branch Reducing Tee

|   | SRTEFI015151/2 | 15mm x 15mm x 1/2" | 25 | 400 |
|---|----------------|--------------------|----|-----|
|   | SRTEFI022221/2 | 22mm x 22mm x 1/2" | 10 | 250 |
| 2 | SRTEFI028281/2 | 28mm x 28mm x 1/2" | 10 | 120 |



## Bent Tap Connector

|   | SRBTC0151/2 | 15mm x 1/2" | 25 | 300 |
|---|-------------|-------------|----|-----|
| L | SRBTC0223/4 | 22mm x 3/4" | 25 | 200 |



## Equal Tee

|    | SRTE015 | 15mm | 25 | 600 |
|----|---------|------|----|-----|
|    | SRTE022 | 22mm | 20 | 240 |
| .E | SRTE028 | 28mm | 10 | 120 |
|    | SRTE035 | 35mm | 5  | 60  |
|    | SRTE042 | 42mm | 5  | 50  |
|    | SRTE054 | 54mm | 2  | 24  |





## Compression fittings BS EN 1254-2







#### Part Code Size Bag Box COMCP008 8mm 20 600 COMCP010 10mm 20 500 COMCP015 15mm 10 300 COMCP022 10 22mm 150 10 COMCP028 28mm 90 5 COMCP035 35mm 50 COMCP042 42mm 2 36 COMCP054 54mm 24 1

## Straight Coupling - Chrome

| COMCP015CP | 15mm | 10 | 300 |
|------------|------|----|-----|
| COMCP022CP | 22mm | 10 | 150 |
| COMCP035CP | 35mm | 5  | 50  |
| COMCP042CP | 42mm | 2  | 36  |

## Male Coupling



| COMCPMI0081/4  | 8mm x 1/4"    | 20 | 800 |
|----------------|---------------|----|-----|
| COMCPMI0101/4  | 10mm x 1/4"   | 20 | 800 |
| COMCPMI0103/8  | 10mm x 3/8"   | 20 | 600 |
| COMCPMI0151/2  | 15mm x 1/2"   | 10 | 300 |
| COMCPMI0151/4  | 15mm x 1/4"   | 10 | 300 |
| COMCPMI0153/4  | 15mm x 3/4"   | 10 | 200 |
| COMCPMI0153/8  | 15mm x 3/8"   | 10 | 300 |
| COMCPMI0221/2  | 22mm x 1/2"   | 10 | 200 |
| COMCPMI0223/4  | 22mm x 3/4"   | 10 | 160 |
| COMCPMI0221    | 22mm x 1"     | 10 | 150 |
| COMCPMI0281    | 28mm x 1"     | 10 | 110 |
| COMCPMI03511/4 | 35mm x 1 1/4" | 5  | 50  |
| COMCPMI04211/2 | 42mm x 1 1/2" | 2  | 36  |
| COMCPMI0542    | 54mm x 2"     | 1  | 24  |
|                |               |    |     |

## Male Coupling - Chrome



## COMCPMI0151/2CP 15mm x 1/2" 10 300 COMCPMI0223/4CP 22mm x 3/4" 10 150

| Female Coupling | LA           | WT  |     |
|-----------------|--------------|-----|-----|
| Part Code       | Size         | Bag | Box |
| COMCPFI0101/4   | 10mm x 1/4"  | 20  | 500 |
| COMCPFI0151/2   | 15mm x 1/2"  | 10  | 300 |
| COMCPFI0151/4   | 15mm x 1/4"  | 10  | 350 |
| COMCPFI0153/4   | 15mm x 3/4"  | 10  | 250 |
| COMCPFI0221     | 22mm x 1"    | 10  | 150 |
| COMCPFI0221/2   | 22mm x 1/2"  | 10  | 200 |
| COMCPFI0223/4   | 22mm x 3/4"  | 10  | 150 |
| COMCPFI0281     | 28mm x 1"    | 10  | 100 |
| COMCPFI03511/4  | 35mm x 11/4" | 5   | 50  |
| COMCPFI04211/2  | 42mm x 11/2" | 2   | 40  |
| COMCPFI0542     | 54mm x 2"    | 1   | 20  |

## Female Coupling - Chrome

| SEA | COMCPFI0151/2CP | 15mm x 1/2" | 10 | 300 |
|-----|-----------------|-------------|----|-----|
|     | COMCPFI0223/4CP | 22mm x 3/4" | 10 | 160 |

### Reducing Coupling

| COMCP01008 | 10mm x 8mm  | 20 | 500 |
|------------|-------------|----|-----|
| COMCP01508 | 15mm x 8mm  | 10 | 300 |
| COMCP01510 | 15mm x 10mm | 10 | 300 |
| COMCP01512 | 15mm x 12mm | 10 | 300 |
| COMCP02215 | 22mm x 15mm | 10 | 200 |
| COMCP02815 | 28mm x 15mm | 10 | 120 |
| COMCP02822 | 28mm x 22mm | 10 | 120 |
| COMCP03522 | 35mm x 22mm | 5  | 60  |
| COMCP03528 | 35mm x 28mm | 5  | 60  |



|         | Female Elbow - Chrome |             |     | MIPRESS |
|---------|-----------------------|-------------|-----|---------|
| 1       | Part Code             | Size        | Bag | Box     |
| 1 Dates | COMELFI0151/2CP       | 15mm x 1/2" | 10  | 250     |
|         | COMELFI0223/4CP       | 22mm x 3/4" | 10  | 100     |
|         | COMELFI0221CP         | 22mm x 1"   | 10  | 70      |

|      | Reducing Elbow  |             |    |     |
|------|-----------------|-------------|----|-----|
|      | COMREL02215     | 22mm x 15mm | 10 | 140 |
| (YD) | Wallplate Elbow |             |    |     |
|      | COMELWL0151/2   | 15mm x 1/2" | 10 | 120 |
|      | COMELWL0223/4   | 22mm x 3/4" | 10 | 80  |

| COM |
|-----|
|     |

## Wallplate Elbow - Chrome

|   | COMELWL0151/2CP       | 15mm x 1/2" | 10 | 120 |
|---|-----------------------|-------------|----|-----|
| ~ | 45 <sup>0</sup> Elbow |             |    |     |
|   | 43° ELDOW             |             |    |     |



| 0.44     |      |    |     |  |
|----------|------|----|-----|--|
| MEL01545 | 15mm | 10 | 200 |  |
| MEL02245 | 22mm | 10 | 100 |  |
| MEL02845 | 28mm | 10 | 60  |  |
|          |      |    |     |  |



## Repair Coupling

| Part Code | Size | Bag | Box |
|-----------|------|-----|-----|
| COMRCP015 | 15mm | 10  | 120 |
| COMRCP022 | 22mm | 10  | 60  |

## 90 Elbow

| COMEL008 | 8mm  | 20 | 500 |
|----------|------|----|-----|
| COMEL010 | 10mm | 20 | 400 |
| COMEL015 | 15mm | 10 | 250 |
| COMEL022 | 22mm | 10 | 120 |
| COMEL028 | 28mm | 10 | 70  |
| COMEL035 | 35mm | 5  | 30  |
| COMEL042 | 42mm | 2  | 20  |



## 90 Elbow - Chrome

|   | COMEL015CP | 15mm | 10 | 250 |
|---|------------|------|----|-----|
|   | COMEL022CP | 22mm | 10 | 120 |
|   | COMEL035CP | 35mm | 5  | 30  |
| 1 | COMEL042CP | 42mm | 2  | 20  |



## Male Elbow

| COMELMI0151/2  | 15mm x 1/2"  | 10 | 250 |
|----------------|--------------|----|-----|
| COMELMI0153/4  | 15mm x 3/4"  | 10 | 150 |
| COMELMI0223/4  | 22mm x 3/4"  | 10 | 120 |
| COMELMI0281    | 28mm x 1"    | 10 | 50  |
| COMELMI03511/4 | 35mm x 11/4" | 5  | 30  |



## Male Elbow - Chrome

| 5 | COMELMI0151/2CP | 15mm x 1/2" | 10 | 250 |
|---|-----------------|-------------|----|-----|
|   | COMELMI0223/4CP | 22mm x 3/4" | 10 | 120 |



## Female Elbow

| COMELFI0151/2  | 15mm x 1/2"   | 10 | 250 |
|----------------|---------------|----|-----|
| COMELFI0153/4  | 15mm x 3/4"   | 10 | 250 |
| COMELFI0221    | 22mm x 1"     | 10 | 70  |
| COMELFI0221/2  | 22mm x 1/2"   | 10 | 120 |
| COMELFI0223/4  | 22mm x 3/4"   | 10 | 100 |
| COMELFI0281    | 28mm x 1"     | 10 | 70  |
| COMELFI03511/4 | 35mm x 1 1/4" | 5  | 30  |
| COMELFI04211/2 | 42mm x 1 1/2" | 2  | 20  |
| COMELFI0542    | 54mm x 2"     | 1  | 18  |



| E | nd Cap    |      |     | OMPRESSION |
|---|-----------|------|-----|------------|
|   | Part Code | Size | Bag | Box        |
|   | COMEC008  | 8mm  | 20  | 1000       |
|   | COMEC010  | 10mm | 20  | 1000       |
|   | COMEC015  | 15mm | 10  | 500        |
|   | COMEC022  | 22mm | 10  | 300        |
|   | COMEC028  | 28mm | 10  | 150        |
|   | COMEC035  | 35mm | 5   | 80         |
|   | COMEC042  | 42mm | 2   | 70         |
|   | COMEC054  | 54mm | 1   | 40         |
|   |           |      |     |            |

## LAWTON



## Equal Tee - Chrome

| COMTE015CP | 15mm | 10 | 150 |
|------------|------|----|-----|
| COMTE022CP | 22mm | 10 | 80  |
| COMTE028CP | 28mm | 10 | 50  |
| COMTE042CP | 42mm | 2  | 16  |

## Reducing Tee

| COMTE0151522 | 15mm x 15mm x 22mm | 10 | 100 |
|--------------|--------------------|----|-----|
| COMTE0221515 | 22mm x 15mm x 15mm | 10 | 100 |
| COMTE0221522 | 22mm x 15mm x 22mm | 10 | 80  |
| COMTE0222215 | 22mm x 22mm x 15mm | 10 | 80  |
| COMTE0281528 | 28mm x 15mm x 28mm | 10 | 50  |
| COMTE0282228 | 28mm x 22mm x 28mm | 10 | 50  |
| COMTE0282815 | 28mm x 28mm x 15mm | 10 | 50  |
| COMTE0282822 | 28mm x 28mm x 22mm | 10 | 50  |

### Reducing Tee - Chrome

|     | COMTE0151522CP | 15mm x 15mm x 22mm | 10 | 100 |
|-----|----------------|--------------------|----|-----|
|     | COMTE0221515CP | 22mm x 15mm x 15mm | 10 | 100 |
|     | COMTE0222215CP | 22mm x 22mm x 15mm | 10 | 80  |
| la. | COMTE022228CP  | 22mm x 22mm x 28mm | 10 | 50  |

#### Female Tee

| COMTEFI015151/2 | 15mm x 15mm x 1/2" | 10 | 140 |  |
|-----------------|--------------------|----|-----|--|
| COMTEFI022221/2 | 22mm x 22mm x 1/2" | 10 | 80  |  |
| COMTEFI022223/4 | 22mm x 22mm x 3/4" | 10 | 80  |  |
| COMTEFI028281   | 28mm x 28mm x 1"   | 10 | 50  |  |

## End Cap - Chrome

End Can

| AND CONTRACT OF A DATA SALES |      |    |     |
|------------------------------|------|----|-----|
| COMEC015CP                   | 15mm | 10 | 500 |
| COMEC022CP                   | 22mm | 10 | 300 |
| COMEC042CP                   | 42mm | 10 | TBC |

## Taper Thread Coupling Male Iron Coupling

| anna a | COMTTCPMI0151/2  | 15mm x 1/2" | 10 | 300 |
|--------|------------------|-------------|----|-----|
| 3      | COMETTCPMI0223/4 | 22mm x 3/4" | 10 | 160 |
| -      | COMTTCPMI0281    | 28mm x 1"   | 10 | 110 |

## Compression Nut

| COMNUT010 | 10mm | 10 | 100 |
|-----------|------|----|-----|
| COMNUT015 | 15mm | 10 | 100 |
| COMNUT028 | 28mm | 10 | 100 |
| COMNUT035 | 35mm | 10 | 100 |
| COMNUT042 | 42mm | 10 | 100 |
| COMNUT054 | 54mm | 10 | 100 |



|   | Reducing Sets | LF          |     |      |
|---|---------------|-------------|-----|------|
| - | Part Code     | Size        | Bag | Box  |
| - | COMRS0108     | 10mm x 8mm  | 20  | 1000 |
|   | COMRS0158     | 15mm x 8mm  | 20  | 1000 |
|   | COMRS01510    | 15mm x 10mm | 20  | 1000 |
| - | COMRS02215    | 22mm x 15mm | 10  | 500  |
|   | COMRS02822    | 28mm x 22mm | 10  | 350  |
|   | COMRS03515    | 35mm x 15mm | 5   | 150  |
|   | COMRS03522    | 35mm x 22mm | 5   | 200  |
|   | COMRS03528    | 35mm x 28mm | 5   | 250  |
|   | COMRS04215    | 42mm x 15mm | 5   | 100  |
|   | COMRS04222    | 42mm x 22mm | 5   | 100  |
|   | COMRS04228    | 42mm x 28mm | 5   | 100  |
|   | COMRS04235    | 42mm x 35mm | 5   | 100  |
|   | COMRS05422    | 54mm x 22mm | 5   | 250  |
|   | COMRS05428    | 54mm x 28mm | 5   | 250  |
|   | COMRS05435    | 54mm x 35mm | 5   | 250  |
|   | COMRS05442    | 54mm x 42mm | 5   | 80   |

|     | Crossover lee |      |     | OMPRESSIO |
|-----|---------------|------|-----|-----------|
|     | Part Code     | Size | Bag | Box       |
|     | COMCR022      | 22mm | 10  | 60        |
| 143 | COMCR028      | 28mm | 10  | 30        |
|     | COMCR015      | 15mm | 10  | 100       |
|     |               |      |     |           |

#### Tank Connector COMTC015 15mm 10 140 COMTC022 22mm 10 120 COMTC028 28mm 10 80 COMTC035 35mm 10 40 COMTC042 42mm 10 20 COMTC054 20 54mm 10



| COMSTC0151/2 | 15mmx1/2" | 10 | 250 |
|--------------|-----------|----|-----|
| COMSTC0153/4 | 15mmx3/4" | 10 | 250 |



| Bent Tap Connector |             |    |     |
|--------------------|-------------|----|-----|
| COMBTC0151/2       | 15mm x 1/2" | 10 | TBC |
|                    |             |    |     |

| Rian | kin      | - D | iscs |
|------|----------|-----|------|
| Dian | IN IL II |     | 1202 |

| В | lanking Discs |      |    |     |
|---|---------------|------|----|-----|
| - | COMBD015      | 15mm | 10 | 700 |
|   | COMBD022      | 22mm | 10 | 500 |
|   | COMBD028      | 28mm | 10 | 300 |



Copper Olives

| Part Code | Size | Bag | Box   |
|-----------|------|-----|-------|
| COMOC008  | 8mm  | 400 | 10000 |
| COMOC010  | 10mm | 400 | 8000  |
| COMOC015  | 15mm | 250 | 4000  |
| COMOC022  | 22mm | 100 | 2000  |
| COMOC028  | 28mm | 50  | 1000  |
| COMOC035  | 35mm | 50  | 500   |
| COMOC042  | 42mm | 50  | 250   |
| COMOC054  | 54mm | 25  | 200   |
| COMOC03/4 | 3/4" | 100 | 2000  |

## Brass Olives

|           |      | 1   | 12    |
|-----------|------|-----|-------|
| COMOB008  | 8mm  | 400 | 10000 |
| COMOB010  | 10mm | 400 | 8000  |
| COMOB015  | 15mm | 250 | 4000  |
| COMOB022  | 22mm | 100 | 2000  |
| COMOB028  | 28mm | 50  | 1000  |
| COMOB035  | 35mm | 50  | 500   |
| COMOB042  | 42mm | 50  | 250   |
| COMOB054  | 54mm | 25  | 200   |
| COMOB03/4 | 3/4" | 100 | 2000  |



## **Pipe Fixings**

Pressed Screw On Bracket

|   | Part Code | Size | Bag | Box |
|---|-----------|------|-----|-----|
| 1 | MUNBRP015 | 15mm | 100 | 800 |
| ) | MUNBRP022 | 22mm | 100 | 500 |
| 1 | MUNBRP028 | 28mm | 50  | 300 |
| 3 | MUNBRP035 | 35mm | 50  | 250 |
| 1 | MUNBRP042 | 42mm | 25  | 150 |
| 1 | MUNBRP054 | 54mm | 10  | 100 |



| Chrome Pressed Screw | On Bracket |     |
|----------------------|------------|-----|
| MUNBRPC015           | 15mm       | 100 |
| MUNBRPC022           | 22mm       | 100 |

| MUNBRPC028 | 28mm | 50 | 300 |  |
|------------|------|----|-----|--|
| MUNBRPC035 | 35mm | 50 | 250 |  |
| MUNBRPC042 | 42mm | 25 | 150 |  |
| MUNBRPC054 | 54mm | 10 | 200 |  |



## Cast Screw On Bracket

| MUNBRC015 | 15mm | 100 | 800 |
|-----------|------|-----|-----|
| MUNBRC022 | 22mm | 50  | 450 |
| MUNBRC028 | 28mm | 25  | 300 |
| MUNBRC035 | 35mm | 25  | 250 |
| MUNBRC042 | 42mm | 25  | 150 |
| MUNBRC054 | 54mm | 25  | 100 |
| MUNBRC067 | 67mm | 10  | 50  |
| MUNBRC076 | 76mm | 10  | 40  |
|           |      |     |     |

#### Chrome Cast Screw On Bracket

| 15mm | 100                          | 800   |
|------|------------------------------|---|
| 22mm | 50                           | 450   |
| 28mm | 25                           | 300   |
| 35mm | 25                           | 250   |
| 42mm | 25                           | 150   |
| 54mm | 25                           | 100   |
|      | 22mm<br>28mm<br>35mm<br>42mm | 22mm         50           28mm         25           35mm         25           42mm         25 |

### Single Munsen Ring - M10 MUN012-M10



| MUN015-M10 | 15mm  | 100 | 900 |
|------------|-------|-----|-----|
| MUN022-M10 | 22mm  | 50  | 700 |
| MUN028-M10 | 28mm  | 50  | 450 |
| MUN035-M10 | 35mm  | 50  | 300 |
| MUN042-M10 | 42mm  | 25  | 250 |
| MUN054-M10 | 54mm  | 25  | 150 |
| MUN067-M10 | 67mm  | 10  | 110 |
| MUN076-M10 | 76mm  | 10  | 80  |
| MUN108-M10 | 108mm | 5   | 50  |
| MUN133-M10 | 133mm | 5   | 20  |
| MUN159-M10 | 159mm | 3   | 15  |
| MUN015-1/4 | 15mm  | 100 | 900 |
|            |       |     |     |

12mm

100

1000

# LAWTON

800

500

Single Munsen Ring - 1/4"

## LAWTON

100

50

25

10

15mm

22mm

54mm

67mm

900

700

100

100

| -  | Part Code  | Size | Bag |  |
|----|------------|------|-----|--|
| 77 | MUN022-1/4 | 22mm | 50  |  |
|    | MUN028-1/4 | 28mm | 50  |  |
|    | MUN035-1/4 | 35mm | 25  |  |
|    | MUN042-1/4 | 42mm | 25  |  |

### Single Munsen Ring - 1/8"









| MUNC015-M10 | 15mm | 10  | 900 |
|-------------|------|-----|-----|
| MUNC022-M10 | 22mm | 50  | 700 |
| MUNC028-M10 | 28mm | 10  | 450 |
| MUNC035-M10 | 35mm | 100 | 300 |
| MUNC042-M10 | 42mm | 25  | 250 |
| MUNC054-M10 | 54mm | 25  | 150 |

## Double Munsen Ring



| MUND015-M10 | 15mm  | 50  | 800 |
|-------------|-------|-----|-----|
| MUND022-M10 | 22mm  | 100 | 600 |
| MUND028-M10 | 28mm  | 25  | 400 |
| MUND035-M10 | 35mm  | 25  | 200 |
| MUND042-M10 | 42mm  | 50  | 150 |
| MUND054-M10 | 54mm  | 100 | 100 |
| MUND067-M10 | 67mm  | 100 | 260 |
| MUND076-M10 | 76mm  | 3   | 50  |
| MUND108-M10 | 108mm | 10  | 25  |

## Double Tapped BSP



| MUND015-1/4 | 15mm | 100 | 600 |
|-------------|------|-----|-----|
| MUND022-1/4 | 22mm | 50  | 400 |
| MUND028-1/4 | 28mm | 50  | 300 |
| MUND035-1/4 | 35mm | 25  | 200 |
| MUND042-1/4 | 42mm | 25  | 150 |
| MUND054-1/4 | 54mm | 25  | 100 |

#### Chrome Double Tapped BSP

|      | <ul> <li>Addition to a state of the stat</li></ul> |      |    |     |
|------|--|------|----|-----|
|      | MUNDC015-1/4   | 15mm | 50 | 450 |
|      | MUNDC022-1/4   | 22mm | 50 | 400 |
| J    | MUNDTC028-1/4  | 28mm | 25 | 300 |
| - 2) | MUNDTC035-1/4  | 35mm | 25 | 250 |
|      | 222322222222222222222222   |      |    |     |



### Hospital Bracket

| MUNS015 | 15mm | 50 | 400 |
|---------|------|----|-----|
| MUNS022 | 22mm | 50 | 300 |
| MUNS028 | 28mm | 25 | 200 |
| MUNS035 | 35mm | 25 | 150 |
| MUNS042 | 42mm | 25 | 100 |
| MUNS054 | 54mm | 25 | 50  |

## Hospital Bracket - Chrome

Copper Saddle Bracket

|   | MUNSC015 | 15mm | 50 | 400 |
|---|----------|------|----|-----|
| M | MUNSC022 | 22mm | 50 | 300 |
|   | MUNSC028 | 28mm | 25 | 200 |



-

| EFSB015 | 15mm | 100 | 1200 |
|---------|------|-----|------|
| EFSB022 | 22mm | 100 | 600  |
| EFSB028 | 28mm | 100 | TBC  |
|         |      |     |      |



| Piece Saddle Band |      |     |      |  |
|-------------------|------|-----|------|--|
| EFSB2P022         | 22mm | 100 | 1000 |  |

|   | Two Piece Saddle Ban | d - Chrome |     |      |
|---|----------------------|------------|-----|------|
| 2 | EFSB2PC015           | 15mm       | 100 | 1000 |



| emale Backplate BSP |                              |                   |  |
|---------------------|------------------------------|-------------------|--|
| MUNBF010-M10        | 10mm                         | 100               | 1500   |
| MUNBF010-1/8        | 10mm                         | 50                | 1500   |
| MUNBF010-1/4        | 10mm                         | 50                | 1000   |
|                     | MUNBF010-M10<br>MUNBF010-1/8 | MUNBF010-1/8 10mm | MUNBF010-M10         10mm         100           MUNBF010-1/8         10mm         50 |

## Female Backplate BSP - Chrome plated MUNBFC010-M10 10mm 100 1500 C

|   |              | Tottint | 100 | 1000 |
|---|--------------|---------|-----|------|
| 9 | MUNBM010-M10 | 10mm    | 100 | 1000 |
|   | MUNBM010-1/8 | 10mm    | 50  | 1000 |
|   | MUNBM010-1/4 | 10mm    | 50  | 500  |

|    | Male Backplate         | L         | <b>A</b> M | TON<br>ACCESSORIES |
|----|------------------------|-----------|------------|--------------------|
|    | Part Code              | Size      | Bag        | Box                |
| 10 | Male Backplate - Chron | ne plated |            |                    |
| C  | MUNBMC010-M10          | 10mm      | 100        | 1000               |
|    |                        |           |            |                    |

#### Rapid Fix - M10

|   | MUNRF015-M10 | 15mm | 100 | 900 |
|---|--------------|------|-----|-----|
| 3 | MUNRF022-M10 | 22mm | 100 | 700 |
|   | MUNRF028-M10 | 28mm | 100 | 450 |

## Soldering and Brazing Solutions Silver Solder (Brazing Rod)

| SI | Ilver Solder (Brazin | ig Rod)                 |     |                |
|----|----------------------|-------------------------|-----|----------------|
|    | Product Code         | Size                    | %   | Туре           |
|    | SOL-ZERO             | 1.27mm X 3.18mm X 508mm | 0   | Round          |
|    | SOL-S2.0AG0.2        | 2.0mm X 500mm           | 0.2 | Square         |
|    | SOL-S1.5AG5          | 1.5mm X 500mm           | 5   | Round          |
|    | SOL-S1.5AG45         | 1.5mm X 500mm           | 45  | Round          |
|    | SOL-S1.5AG40FC       | 1.5mm X 500mm           | 40  | Flux<br>Coated |
|    | SOL-S1.5AG40         | 1.5mm X 500mm           | 40  | Round          |
|    | SOL-S1.5AG55         | 1.5mm X 500mm           | 55  | Round          |
|    | SOL-S2.0AG2          | 2.0mm X 500mm           | 5   | Round          |
|    | SOL-S2.0AG5          | 2.0mm X 500mm           | 2   | Round          |
|    | SOL-S2.5AG6          | 2.5mm X 500mm           | 6   | Round          |
|    | SOL-S2.5AG5          | 2.5mm X 500mm           | 5   | Round          |
|    | SOL-S2.5AG15         | 2.5mm X 500mm           | 15  | Round          |
|    | SOL-S2.5AG45         | 2.5mm X 500mm           | 45  | Round          |
|    | SOL-S2.5AG15(6)      | 2.5mm X 600mm           | 15  | Round          |
|    | SOL-S3.0AG2          | 3.0mm X 500mm           | 2   | Round          |
|    | SOL-S3.0AG5          | 3.0mm X 500mm           | 5   | Round          |

#### Box Solder Reels - Soft Soldering SOL-LF3.0 3.0mm 500G Lead-Free 20 SOL-L3.0 3.0mm 500G Leaded 20

#### Box Flux for Soft Soldering Flux 113G (4 Oz) With Brush SOL-FLF113 90 SOL-FLF453 Flux 453G (16 Oz) 12







## Lawton's ACR product range includes:

- Straight lengths.
- Coils.
- MaxiPro.
- Lawton K65.
- Pre-Insulated Coil.
- Fittings.
- Brazing rods.

## Demand Lawton's copper for:

- Air Conditioning and refridgeration installations.
- CO<sup>2</sup> supermarket refridgeration.
- Commercial and domestic applications.
- Bespoke OEM applications.
- General engineering applications.

Lawton's ACR products were used in many prestigious projects including:

- UK Olympic Stadium and Village.
- All major UK supermarkets.
- Harrods of London.
- The Shard.
- Red Bull F1 HQ.

Whether you're talking about Lawton business or Lawton product, Lawton's Copper Tubes offer:

- Strength.
- Quality.
- Reliability.

The ACR sector is a demanding one, so demand Lawton Tubes.











## Standard Range Copper Coiled Tube EN 12735-1

| Size OD  | Temper | Wall     | Gauge          |   | Available<br>Ioils per b |     |
|----------|--------|----------|----------------|---|--------------------------|-----|
| (inches) |        | (inches) | (inches) (SWG) |   | 15m                      | 30m |
| 3/16"    | R220   | 0.028    | 22             | - | -                        | 8   |
| 1/4"     | R220   | 0.028    | 22             | 1 | 10                       | 6   |
| 5/16"    | R220   | 0.028    | 22             | - |                          | 5   |
| 5/16     | R220   | 0.036    | 20             |   | -                        | 5   |
| 3/8"     | R220   | 0.032    | 21             | 1 | 7                        | 4   |
| 1/2"     | R220   | 0.032    | 21             | 1 | 5                        | 3   |
| 5/8"     | R220   | 0.036    | 20             | 1 | 4                        | 2   |
| 3/4"     | R220   | 0.040    | 19             | - | 3                        | 1   |
| 7/8"     | R220   | 0.040    | 19             |   | 2                        | 1   |

## LAWTON

## Copper Straight Tube EN 12735-1

| Copper Str | aight Tube | EN 12735 | -1    |                   | ACR                   |
|------------|------------|----------|-------|-------------------|-----------------------|
| Size OD    | Temper     | Wall     | Gauge |                   | in Lengths<br>bundle) |
| (inches)   |            | (inches) | (SWG) | 3m                | 6m                    |
| 3/8"       | R250       | 0.032    | 21    | 20                | 20                    |
| 1 (0)      | R250       | 0.036    | 20    | 20                | 20                    |
| 1/2"       | R250       | 0.048    | 18    | -                 | 1                     |
|            | R250       | 0.036    | 20    | 10                | 10                    |
| 5/8"       | R250       | 0.040    | 19    | 1                 | 1                     |
|            | R250       | 0.048    | 18    |                   | 1                     |
|            | R250       | 0.036    | 20    | -                 | 1                     |
| 2//"       | R250       | 0.040    | 19    | 10                | 10                    |
| 3/4"       | R250       | 0.048    | 18    | 10                | 10                    |
|            | R250       | 0.064    | 16    | -                 | 1                     |
|            | R250       | 0.040    | 19    | -                 | 1                     |
| 7 /0"      | R250       | 0.048    | 18    | 10                | 10                    |
| 7/8"       | R250       | 0.064    | 16    | 1                 | 1                     |
|            | R250       | 0.104    | 12    | (1 <del>7</del> ) | 1                     |
|            | R250       | 0.040    | 19    |                   | 1                     |
| 1.1/8"     | R250       | 0.048    | 18    | 5                 | 5                     |
| 1.1/8      | R250       | 0.064    | 16    | 1                 | 1                     |
|            | R250       | 0.080    | 14    | 1                 | 1                     |
|            | R250       | 0.048    | 18    | 1                 | 1                     |
|            | R250       | 0.064    | 16    | 1                 | 1                     |
| 1.3/8"     | R250       | 0.080    | 14    | 1                 | 1                     |
|            | R250       | 0.104    | 12    | -                 | 1                     |
|            | R250       | 0.048    | 18    | 1                 | 1                     |
|            | R250       | 0.064    | 16    | 1                 | 1                     |
| 1.5/8"     | R250       | 0.080    | 14    | 1                 | 1                     |
|            | R250       | 0.104    | 12    | -                 | 1                     |
|            | R250       | 0.116    | 11    |                   | 1                     |
|            | R250       | 0.048    | 18    | 1                 | 1                     |
| 0 + /01    | R250       | 0.064    | 16    | 1                 | 1                     |
| 2.1/8"     | R250       | 0.080    | 14    | 1                 | 1                     |
|            | R250       | 0.104    | 12    |                   | 1                     |
|            | R290       | 0.048    | 18    | 1                 | 1                     |
| 0.5 (0)    | R290       | 0.064    | 16    | 1                 | 1                     |
| 2.5/8"     | R290       | 0.080    | 14    | -                 | 1                     |
|            | R290       | 0.104    | 12    | 1                 | 1                     |
|            | R290       | 0.064    | 16    | 1                 | 1                     |
| 3.1/8"     | R290       | 0.080    | 14    | 1                 | 1                     |
|            | R290       | 0.104    | 12    | -                 | 1                     |
|            | R290       | 0.064    | 16    | 1                 | 1                     |
| 3.5/8"     | R290       | 0.080    | 14    |                   | 1                     |
|            | R290       | 0.104    | 12    | -                 | 1                     |
|            | R290       | 0.064    | 16    | 1                 | 1                     |
|            | R290       | 0.080    | 14    | 1                 | 1                     |
| 4.1/8"     | R290       | 0.104    | 12    | 1                 | 1                     |
|            | R290       | 0.128    | 10    | -                 | 1                     |
|            | R290       | 0.128    | 10    | -                 | 1                     |



## **Fittings & Accessories**

Manufactured to ASME B16.22 Lawton's ACR fittings are all seamless, one piece fittings, which makes them stronger and easier to use. All Lawton's fittings are available from 3/16" to 4 1/8" for use with Lawton entire range of ACR tubes.

Regularly needed for large supermarket projects we can supply high pressure fittings for CO<sup>2</sup> applications. All fittings from stock for quick delivery.

Wherever possible all Lawton fittings are engraved for additional traceability.

We offer a variety of silver solder brazing alloys suitable dependent upon product type and application.

| Product Code  | Size            | Bag | Box  |
|---------------|-----------------|-----|------|
| RFCP516X14    | 5/16" X 1/4"    | 100 | 5000 |
| RFCP38X14     | 3/8" X 1/4"     | 100 | 2000 |
| RFCP12X14     | 1/2" X 1/4"     | 100 | 2000 |
| RFCP12X38     | 1/2" X 3/8"     | 100 | 1500 |
| RFCP58X12     | 5/8" X 1/2"     | 100 | 1500 |
| RFCP58X14     | 5/8" X 1/4"     | 100 | 1500 |
| RFCP58X38     | 5/8" X 3/8"     | 100 | 1500 |
| RFCP34X38     | 3/4" X 3/8"     | 50  | 1100 |
| RFCP34X12     | 3/4" X 1/2"     | 50  | 1100 |
| RFCP34X58     | 3/4" X 5/8"     | 50  | 1000 |
| RFCP78X38     | 7/8" X 3/8"     | 50  | 1000 |
| RFCP78X12     | 7/8" X 1/2"     | 50  | 1000 |
| RFCP78X58     | 7/8" X 5/8"     | 50  | 800  |
| RFCP78X34     | 7/8" X 3/4"     | 50  | 800  |
| RFCP1.18X12   | 1.1/8" X 1/2"   | 25  | 500  |
| RFCP1.18X58   | 1.1/8" X 5/8"   | 25  | 500  |
| RFCP1.18X34   | 1.1/8" X 3/4"   | 25  | 400  |
| RFCP1.18X78   | 1.1/8" X 7/8"   | 20  | 400  |
| RFCP1.38X58   | 1.3/8" X 5/8"   | 10  | 400  |
| RFCP1.38X34   | 1.3/8" X 3/4"   | 10  | 2000 |
| RFCP1.38X78   | 1.3/8" X 7/8"   | 10  | 250  |
| RFCP1.38X1.18 | 1.3/8" X 1.1/8" | 10  | 200  |
| RFCP1.58X78   | 1.5/8" X 7/8"   | 10  | 200  |
| RFCP1.58X1.18 | 1.5/8" X 1.1/8" | 10  | 160  |
| RFCP1.58X1.38 | 1.5/8" X 1.3/8" | 10  | 120  |
| RFCP2.18X58   | 2.1/8" X 5/8"   | 5   | 60   |
| RFCP2.18X78   | 2.1/8" X 7/8"   | 5   | 100  |
| RFCP2.18X1.18 | 2.1/8" X 1.1/8" | 5   | 100  |
| RFCP2.18X1.38 | 2.1/8" X 1.3/8" | 5   | 100  |
| RFCP2.18X1.58 | 2.1/8" X 1.5/8" | 5   | 100  |
| RFCP2.58X1.18 | 2.5/8" X 1.1/8" | 5   | 50   |
| RFCP2.58X1.38 | 2.5/8" X 1.3/8" | 5   | 50   |
| RFCP2.58X1.58 | 2.5/8" X 1.5/8" | 5   | 50   |
| RFCP2.58X2.18 | 2.5/8" X 2.1/8" | 5   | 50   |
| RFCP3.18X1.38 | 3.1/8" X 1.3/8" | 1   | 25   |
| RFCP3.18X1.58 | 3.1/8" X 1.5/8" | 1   | 25   |
| RFCP3.18X2.18 | 3.1/8" X 2.1/8" | 1   | 25   |
| RFCP3.18X2.58 | 3.1/8" X 2.5/8" | 1   | 25   |
| RFCP3.58X2.58 | 3.5/8" X 2.5/8" | 1   | 20   |
| RFCP3.58X3.18 | 3.5/8" X 3.1/8" | 1   | 17   |
| RFCP4.18X2.18 | 4.1/8" X 2.1/8" | 1   | 18   |
| RFCP4.18X2.58 | 4.1/8" X 2.5/8" | 1   | 18   |
| RFCP4.18X3.18 | 4.1/8" X 3.1/8" | 1   | 18   |
| RFCP4.18X3.58 | 4.1/8" X 3.5/8" | 1   | 12   |

| Product Code                     | Size                             | Bag |
|----------------------------------|----------------------------------|-----|
| RFRED38X14                       | 3/8" X 1/4"                      | 100 |
| RFRED12X14                       | 1/2" X 1/4"                      | 100 |
| RFRED12X38                       | 1/2" X 3/8"                      | 100 |
| RFRED58X14                       | 5/8" X 1/4"                      | 100 |
| RFRED58X38                       | 5/8" X 3/8"                      | 100 |
| RFRED58X12                       | 5/8" X 1/2"                      | 100 |
| RFRED34X38                       | 3/4" X 3/8"                      | 100 |
| RFRED34X12                       | 3/4" X 1/2"                      | 50  |
| RFRED34X58                       | 3/4" X 5/8"                      | 50  |
| RFRED78X12                       | 7/8" X 1/2"                      | 50  |
| RFRED78X34                       | 7/8" X 3/4"                      | 50  |
| RFRED78X38                       | 7/8" X 3/8"                      | 100 |
| RFRED78X58                       | 7/8" X 5/8"                      | 50  |
| RFRED1.18X12                     | 1.1/8" X 1/2"                    | 50  |
| RFRED1.18X58                     | 1.1/8" X 5/8"                    | 30  |
| RFRED1.18X34                     | 1.1/8" X 3/4"                    | 25  |
| RFRED1.18X78                     | 1.1/8" X 7/8"                    | 25  |
| RFRED1.38X58                     | 1.3/8" X 5/8"                    | 15  |
| RFRED1.38X34                     | 1.3/8" X 3/4"                    | 15  |
| RFRED1.38X78                     | 1.3/8" X 7/8"                    | 15  |
| RFRED1.38X1.18                   | 1.3/8" X 1.1/8"                  | 15  |
| RFRED1.58X58                     | 1.5/8" X 5/8"                    | 25  |
| RFRED1.58X34                     | 1.5/8" X 3/4"                    | 10  |
| RFRED1.58X78                     | 1.5/8" X 7/8"                    | 25  |
| RFRED1.58X1.18                   | 1.5/8" X 1.1/8"                  | 20  |
| RFRED1.58X1.38                   | 1.5/8" X 1.3/8"                  | 20  |
| RFRED2.18X58                     | 2.1/8" X 5/8"                    | 10  |
| RFRED2.18X78                     | 2.1/8" X 7/8"                    | 10  |
| RFRED2.18X1.18                   | 2.1/8 X 1.1/8"                   | 10  |
| RFRED2.18X1.18                   | 2.1/8 X 1.1/8<br>2.1/8" X 1.3/8" | 10  |
| RFRED2.18X1.58                   | 2.1/8" X 1.5/8"                  | 10  |
| RFRED2.58X1.18                   | 2.5/8" X 1.1/8"                  | 2   |
| RFRED2.58X1.38                   | 2.5/8" X 1.3/8"                  | 2   |
| RFRED2.58X1.58                   | 2.5/8" X 1.5/8"                  | 2   |
| RFRED2.58X2.18                   | 2.5/8" X 2.1/8"                  | 2   |
| RFRED3.18X1.38                   | 3.1/8" X 1.3/8"                  | 2   |
| RFRED3.18X1.58                   | 3.1/8" X 1.5/8"                  | 2   |
| RFRED3.18X2.18                   | 3.1/8" X 2.1/8"                  | 2   |
| RFRED3.18X2.58                   | 3.1/8 X 2.1/8<br>3.1/8" X 2.5/8" | 2   |
| RFRED3.18X2.58                   | 3.1/8 X 2.5/8<br>3.5/8" X 2.5/8" | 1   |
| RFRED3.58X2.58<br>RFRED3.58X3.18 | 3.5/8 X 2.5/8<br>3.5/8" X 3.1/8" | 1   |
| RFRED3.58X3.18<br>RFRED4.18X2.18 | 4.1/8" X 2.1/8"                  | 1   |
| RFRED4.18X2.18                   | 4.1/8" X 2.5/8"                  | 1   |
| RFRED4.18X2.58<br>RFRED4.18X3.18 | 4.1/8 X 2.5/8<br>4.1/8" X 3.1/8" | 1   |
| RFRED4.18X3.18<br>RFRED4.18X3.58 | the second second second         | 1   |
| NI NED4, 16A3.36                 | 4.1/8" X 3.5/8"                  | 1   |



#### 45 Degree Street Elbow FTG x C

| 1/4"   | 200   | 2000  |
|--------|---|---|
| 5/16"  | 200   | 2000  |
| 3/8"   | 100   | 1800  |
| 1/2"   | 100   | 1500  |
| 5/8"   | 50  | 1300  |
| 3/4"   | 40  | 720   |
| 7/8"   | 25  | 500   |
| 1.1/8" | 25  | 200   |
| 1.3/8" | 10  | 120   |
| 1.5/8" | 5   | 80  |
| 2.1/8" | 2   | 40  |
| 2.5/8" | 2   | 24  |
| 3.1/8" | 2   | 16  |
| 3.5/8" | 2   | 10  |
| 4.1/8" | 1   | 6   |
|        | 5/16"<br>3/8"<br>1/2"<br>5/8"<br>3/4"<br>7/8"<br>1.1/8"<br>1.3/8"<br>1.5/8"<br>2.1/8"<br>2.5/8"<br>3.1/8"<br>3.5/8" | 5/16"         200           3/8"         100           1/2"         100           5/8"         50           3/4"         40           7/8"         25           1.1/8"         25           1.3/8"         10           1.5/8"         5           2.1/8"         2           3.1/8"         2           3.5/8"         2 |



## 45 Degree Elbow C x C

| -           |        |     |      |
|-------------|--------|-----|------|
| RFEL45/14   | 1/4"   | 100 | 2000 |
| RFEL45/516  | 5/16"  | 100 | 2000 |
| RFEL45/38   | 3/8"   | 100 | 1800 |
| RFEL45/12   | 1/2"   | 100 | 1500 |
| RFEL45/58   | 5/8"   | 50  | 1300 |
| RFEL45/34   | 3/4"   | 40  | 720  |
| RFEL45/78   | 7/8"   | 40  | 500  |
| RFEL45/1.18 | 1.1/8" | 10  | 200  |
| RFEL45/1.38 | 1.3/8" | 10  | 120  |
| RFEL45/1.58 | 1.5/8" | 5   | 100  |
| RFEL45/2.18 | 2.1/8" | 2   | 40   |
| RFEL45/2.58 | 2.5/8" | 2   | 20   |
| RFEL45/3.18 | 3.1/8" | 2   | 16   |
| RFEL45/3.58 | 3.5/8" | 2   | 10   |
| RFEL45/4.18 | 4.1/8" | 1   | 8    |



## LAWTON

Bag

100

100

100

100

50

40

25

25

10

5

2

1

1

5000

4000

3000

1500

1200

560

400

200

120

80

20

8

6

2 40

1 12

90 Degree Short Radius Street Elbow FTG x C

RFELSRS1.58

RFELSRS2.18

RFELSRS2.58

RFELSRS3.18

RFELSRS3.58

RFELSRS4.18







## 90 Degree Short Elbow C x C

| RFELSR14   | 1/4"   | 100 | 5000 |
|------------|--------|-----|------|
| RFELSR516  | 5/16"  | 100 | 4000 |
| RFELSR38   | 3/8"   | 100 | 3000 |
| RFELSR12   | 1/2"   | 100 | 2000 |
| RFELSR58   | 5/8"   | 50  | 1200 |
| RFELSR34   | 3/4"   | 40  | 600  |
| RFELSR78   | 7/8"   | 25  | 400  |
| RFELSR1.18 | 1.1/8" | 25  | 200  |
| RFELSR1.38 | 1.3/8" | 10  | 120  |
| RFELSR1.58 | 1.5/8" | 5   | 80   |
| RFELSR2.18 | 2.1/8" | 2   | 40   |
| RFELSR2.58 | 2.5/8" | 2   | 20   |
| RFELSR3.18 | 3.1/8" | 1   | 15   |
| RFELSR3.58 | 3.5/8" | 1   | 8    |
| RFELSR4.18 | 4.1/8" | 1   | 6    |
|            |        |     |      |

1.5/8"

2.1/8"

2.5/8"

3.1/8"

3.5/8"

4.1/8"



#### 90 Degree Long Radius Street Elbow FTG x C

| RFELLRS14   | 1/4"   | 100 | 5000 |
|-------------|--------|-----|------|
| RFELLRS516  | 5/16"  | 100 | 4000 |
| RFELLRS38   | 3/8"   | 100 | 3000 |
| RFELLRS12   | 1/2"   | 50  | 1500 |
| RFELLRS58   | 5/8"   | 50  | 800  |
| RFELLRS34   | 3/4"   | 25  | 450  |
| RFELLRS78   | 7/8"   | 20  | 280  |
| RFELLRS1.18 | 1.1/8" | 10  | 120  |
| RFELLRS1.38 | 1.3/8" | 5   | 80   |
| RFELLRS1.58 | 1.5/8" | 5   | 50   |
| RFELLRS2.18 | 2.1/8" | 2   | 24   |
| RFELLRS2.58 | 2.5/8" | 1   | 12   |
| RFELLRS3.18 | 3.1/8" | 1   | 8    |
| RFELLRS3.58 | 3.5/8" | 1   | 4    |
| RFELLRS4.18 | 4.1/8" | 1   | 3    |

## 

90 Degree Short Radius Reducing Elbow C x C



|     | Product Code    | Size            | Bag | Box  |
|-----|-----------------|-----------------|-----|------|
|     | RFREDEL1238     | 1/2" X 3/8"     | 50  | 2000 |
| 11  | RFREDEL7834     | 7/8" X 3/4"     | 50  | 500  |
| 2.0 | RFREDEL5812     | 5/8" X 1/2"     | 50  | 1000 |
|     | RFREDEL1.581.38 | 1.5/8" X 1.3/8" | 10  | 100  |

## Straight Coupling C x C

| RFCP316  | 3/16"  | 100 | 5000 |
|----------|--------|-----|------|
| RFCP14   | 1/4"   | 100 | 5000 |
| RFCP516  | 5/16"  | 100 | 5000 |
| RFCP38   | 3/8"   | 100 | 5000 |
| RFCP12   | 1/2"   | 100 | 3000 |
| RFCP58   | 5/8"   | 50  | 2000 |
| RFCP34   | 3/4"   | 50  | 900  |
| RFCP78   | 7/8"   | 50  | 500  |
| RFCP1.18 | 1.1/8" | 20  | 300  |
| RFCP1.38 | 1.3/8" | 10  | 200  |
| RFCP1.58 | 1.5/8" | 10  | 100  |
| RFCP2.18 | 2.1/8" | 5   | 60   |
| RFCP2.58 | 2.5/8" | 2   | 40   |
| RFCP3.18 | 3.1/8" | 2   | 32   |
| RFCP3.58 | 3.5/8" | 1   | 15   |
| RFCP4.18 | 4.1/8" | 1   | 9    |

## Equal Tee C x C x C



| RFTE14   | 1/4"   | 100 | 6000 |
|----------|--------|-----|------|
| RFTE516  | 5/16"  | 50  | 3000 |
| RFTE38   | 3/8"   | 100 | 2500 |
| RFTE12   | 1/2"   | 100 | 1200 |
| RFTE58   | 5/8"   | 50  | 600  |
| RFTE34   | 3/4"   | 20  | 400  |
| RFTE78   | 7/8"   | 10  | 250  |
| RFTE1.18 | 1.1/8" | 10  | 120  |
| RFTE1.38 | 1.3/8" | 5   | 80   |
| RFTE1.58 | 1.5/8" | 5   | 50   |
| RFTE2.18 | 2.1/8" | 1   | 25   |
| RFTE2.58 | 2.5/8" | 1   | 16   |
| RFTE3.18 | 3.1/8" | 1   | 10   |
| RFTE3.58 | 3.5/8" | 1   | 5    |
| RFTE4.18 | 4.1/8" | 1   | 4    |

|                    | Bas I I                  |     | ACR FITTINGS |
|--------------------|--------------------------|-----|--------------|
| Product Code       | Size                     | Bag | Box          |
| RFTE1.38X1.18X1.18 | 1.3/8" x 1.1/8" x 1.1/8" | 5   | 100          |
| RFTE1.38X1.18X1.38 | 1.3/8" x 1.1/8" x 1.3/8" | 5   | 70           |
| RFTE1.38X1.38X58   | 1.3/8" x 1.3/8" x 5/8"   | 5   | 120          |
| RFTE1.38X1.38X78   | 1.3/8" x 1.3/8" x 7/8"   | 5   | 100          |
| RFTE1.38X1.38X1.18 | 1.3/8" x 1.3/8" x 1.1/8" | 5   | 80           |
| RFTE1.38X1.38X1.58 | 1.3/8" x 1.3/8" x 1.5/8" | 5   | 60           |
| RFTE1.38X1.38X2.18 | 1.3/8" x 1.3/8" x 2.1/8" | 5   | 25           |
| RFTE1.58X78X78     | 1.5/8" x 7/8" x 7/8"     | 5   | 100          |
| RFTE1.58X78X1.58   | 1.5/8" x 7/8" x 1.5/8"   | 5   | 80           |
| RFTE1.58X1.18X78   | 1.5/8" x 1.1/8" x 7/8"   | 5   | 70           |
| RFTE1.58X1.18X1.58 | 1.5/8" x 1.1/8" x 1.5/8" | 5   | 50           |
| RFTE1.58X1.38X1.18 | 1.5/8" x 1.3/8" x 1.1/8" | 5   | 60           |
| RFTE1.58X1.38X1.38 | 1.5/8" x 1.3/8" x 1.3/8" | 5   | 60           |
| RFTE1.58X1.38X1.58 | 1.5/8" x 1.3/8" x 1.5/8" | 5   | 50           |
| RFTE1.58X1.38X78   | 1.5/8" x 1.3/8" x 7/8"   | 5   | 80           |
| RFTE1.58X1.58X58   | 1.5/8" x 1.5/8" x 5/8"   | 5   | 90           |
| RFTE1.58X1.58X78   | 1.5/8" x 1.5/8" x 7/8"   | 5   | 80           |
| RFTE1.58X1.58X1.18 | 1.5/8" x 1.5/8" x 1.1/8" | 5   | 60           |
| RFTE1.58X1.58X12   | 1.5/8" x 1.5/8" x 1/2"   | 5   | 100          |
| RFTE1.58X1.58X1.38 | 1.5/8" x 1.5/8" x 1.3/8" | 5   | 50           |
| RFTE1.58X1.58X2.18 | 1.5/8" x 1.5/8" x 2.1/8" | 5   | 25           |
| RFTE2.18X1.38X1.18 | 2.1/8" x 1.3/8" x 1.1/8" | 2   | 40           |
| RFTE2.18X1.38X1.38 | 2.1/8" x 1.3/8" x 1.3/8" | 2   | 30           |
| RFTE2.18X1.38X2.18 | 2.1/8" x 1.3/8" x 2.1/8" | 2   | 20           |
| RFTE2.18X1.58X78   | 2.1/8" x 1.5/8" x 7/8"   | 2   | 40           |
| RFTE2.18X1.58X1.18 | 2.1/8" x 1.5/8" x 1.1/8" | 2   | 30           |
| RFTE2.18X1.58X1.58 | 2.1/8" x 1.5/8" x 1.5/8" | 2   | 30           |
| RFTE2.18X1.58X2.18 | 2.1/8" x 1.5/8" x 2.1/8" | 2   | 30           |
| RFTE2.18X2.18X58   | 2.1/8" x 2.1/8" x 5/8"   | 2   | 50           |
| RFTE2.18X2.18X78   | 2.1/8" x 2.1/8" x 7/8"   | 2   | 40           |
| RFTE2.18X2.18X1.18 | 2.1/8" x 2.1/8" x 1.1/8" | 2   | 35           |
| RFTE2.18X2.18X1.38 | 2.1/8" x 2.1/8" x 1.3/8" | 2   | 30           |
| RFTE2.18X2.18X1.58 | 2.1/8" x 2.1/8" x 1.5/8" | 2   | 25           |
| RFTE2.18X2.18X2.58 | 2.1/8" x 2.1/8" x 2.5/8" | 2   | 16           |
| RFTE2.58X78X2.58   | 2.5/8" x 7/8" x 2.5/8"   | 1   | 20           |
| RFTE2.58X2.18X1.58 | 2.5/8" x 2.1/8" x 1.5/8" | 1   | 20           |
| RFTE2.58X2.18X2.18 | 2.5/8" x 2.1/8" x 2.1/8" | 1   | 16           |
| RFTE2.58X2.58X58   | 2.5/8" x 2.5/8" x 5/8"   | 1   | 30           |
| RFTE2.58X2.58X78   | 2.5/8" x 2.5/8" x 7/8"   | 1   | 30           |
| RFTE2.58X2.58X1.18 | 2.5/8" x 2.5/8" x 1.1/8" | 1   | 25           |
| RFTE2.58X2.58X1.38 | 2.5/8" x 2.5/8" x 1.3/8" | 1   | 20           |
| RFTE2.58X2.58X1.58 | 2.5/8" x 2.5/8" x 1.5/8" | 1   | 20           |
| RFTE2.58X2.58X2.18 | 2.5/8" x 2.5/8" x 2.1/8" | 1   | 20           |
| RFTE3.18X3.18X78   | 3.1/8" x 3.1/8" x 7/8"   | 1   | 18           |
| RFTE3.18X3.18X1.18 | 3.1/8" x 3.1/8" x 1.1/8" | 1   | 14           |
| RFTE3.18X3.18X1.38 | 3.1/8" x 3.1/8" x 1.3/8" | 1   | 14           |
| RFTE3.18X3.18X1.58 | 3.1/8" x 3.1/8" x 1.5/8" | 1   | 12           |
| RFTE3.18X3.18X2.18 | 3.1/8" x 3.1/8" x 2.1/8" | 1   | 10           |
| RFTE3.18X3.18X2.58 | 3.1/8" x 3.1/8" x 2.5/8" | 1   | 10           |
| RFTE4.18X4.18X1.58 | 4.1/8" x 4.1/8" x 1.5/8" | 1   | 8            |
| RFTE4.18X4.18X2.18 | 4.1/8" x 4.1/8" x 2.1/8" | 1   | 6            |
| RFTE4.18X4.18X2.58 | 4.1/8" x 4.1/8" x 2.5/8" | 1   | 6            |
| RFTE4.18X4.18X3.18 | 4.1/8" x 4.1/8" x 3.1/8" | 1   | 5            |

## LAWTON Bag

100

100

100

100

100

100

100

100 100

100

100

25

25

25

25

25

25

25

25

25

25

25

25

10

10

10

10

25

10

10

10

10

10

10

5

5

5

10

25

25

25

25

Box

3000

3000

2000

2000

2000 2000

2000

1600

1500

1600

1500 700

750

750

1000

800

750

800

800

800

300

300

200

500

300

600

500

400

250

300

250

300

300

250

200

500

400

250

150

200

200

200

200

160

120

200

180

180

150

100

50

100

100

100

Size

1/4" x 1/4" x 3/8"

3/8" x 1/4" x 1/4"

3/8" x 3/8" x 1/4"

3/8" x 3/8" x 5/8"

1/2" x 3/8" x 1/2"

1/2" x 1/2" x 3/8"

5/8" x 3/8" x 3/8"

5/8" x 1/2" x 3/8"

5/8" x 1/2" x 1/2"

5/8" x 1/2" x 5/8"

5/8" x 5/8" x 1/4"

5/8" x 5/8" x 3/8"

5/8" x 5/8" x 1/2"

5/8" x 5/8" x 3/4"

5/8" x 5/8" x 1.1/8"

3/4" x 1/2" x 1/2"

3/4" x 5/8" x 5/8"

3/4" x 3/4" x 3/8"

3/4" x 3/4" x 1/2"

3/4" x 3/4" x 5/8"

3/4" x 3/4" x 7/8"

7/8" x 1/2" x 1/2"

7/8" x 1/2" x 7/8"

7/8" x 5/8" x 1/2"

7/8" x 5/8" x 5/8"

7/8" x 3/4" x 3/4"

7/8" x 7/8" x 1/2"

7/8" x 7/8" x 3/4"

1.1/8" x 5/8" x 7/8"

1.1/8" x 7/8" x 1/2"

1.1/8" x 7/8" x 7/8"

1.1/8" x 1.1/8" x 1/2"

1.1/8" x 1.1/8" x 3/4"

1.3/8" x 7/8" x 7/8"

1.3/8" x 7/8" x 1.3/8"

RFTE1.38X1.18X58 1.3/8" x 1.1/8" x 5/8" 5 100 RFTE1.38X1.18X78 1.3/8" x 1.1/8" x 7/8" 5 100

RFTE78X78X1.18 7/8" x 7/8" x 1.1/8" 10

RFTE1.18X58X1.18 1.1/8" x 5/8" x 1.1/8" 10

RFTE1.18X78X58 1.1/8" x 7/8" x 5/8" 10

RFTE1.18X78X1.18 1.1/8" x 7/8" x 1.1/8" 10

RFTE1.18X1.18X58 1.1/8" x 1.1/8" x 5/8" 10

RFTE1.18X1.18X78 1.1/8" x 1.1/8" x 7/8" 10

RFTE1.18X1.18X1.58 1.1/8" x 1.1/8" x 1.5/8" 5

RFTE1.38X78X1.18 1.3/8" x 7/8" x 1.1/8" 5

RFTE1.18X1.18X1.38 1.1/8" x 1.1/8" x 1.3/8"

7/8" x 5/8" x 7/8" 10

7/8" x 7/8" x 3/8" 25

7/8" x 7/8" x 5/8" 10 300

5/8" x 5/8" x 7/8"

5/8" x 3/8" x 5/8" 25

1/2" x 1/2" x 5/8"

1/2" x 3/8" x 3/8"

3/8" x 1/4" x 3/8"

RFTE516X516X14 5/16" x 5/16" x 1/4" 100

RFTE38X38X12 3/8" x 3/8" x 1/2"

RFTE12X12X14 1/2" x 1/2" x 1/4"

#### Reducing Tee C x C x C

RFTE14X14X38

RFTE38X14X14

RFTE38X14X38

RFTE38X38X14

RETE38X38X58

RFTE12X38X38

RFTE12X38X12

RFTE12X12X38

RFTE12X12X58

RFTE58X38X38

RFTE58X38X58

RFTE58X12X38

RFTE58X12X12

RFTE58X12X58

RFTE58X58X14

RFTE58X58X38

RFTE58X58X12

RFTE58X58X34

RFTE58X58X1.18

RFTE34X58X58

RFTE34X34X38

RFTE34X34X12

RFTE34X34X58

RFTE34X34X78

RFTE78X12X12

RFTF78X12X78

RETE78X58X12

RFTE78X58X58

RFTE78X58X78

RFTE78X34X34

RFTE78X78X38

RFTE78X78X12

RFTE78X78X58

RFTE78X78X34

RFTE1.18X58X78

RFTE1.18X78X12

RFTE1.18X78X78

RFTE1.18X1.18X12

RFTE1.18X1.18X34

RFTE1.38X78X78

RFTE1.38X78X1.38

RFTE58X58X78

RFTE34X12X12

Product Code



## Male Thread Adaptor C x M

| 111111 | Product Code   | Size            | Bag | Box  |
|--------|----------------|-----------------|-----|------|
| ARREAR | RFMAD14X18     | 1/4" X 1/8"     | 50  | 1000 |
|        | RFMAD38X14     | 3/8" X 1/4"     | 50  | 1000 |
|        | RFMAD12X12     | 1/2" X 1/2"     | 50  | 800  |
|        | RFMAD58X12     | 5/8" X 1/2"     | 25  | 500  |
|        | RFMAD58X34     | 5/8" X 3/4"     | 25  | 500  |
| 1      | RFMAD78X12     | 7/8" X 1/2"     | 10  | 500  |
|        | RFMAD78X34     | 7/8" X 3/4"     | 10  | 500  |
|        | RFMAD1.18X34   | 1.1/8" X 3/4"   | 25  | 300  |
|        | RFMAD1.18X1    | 1.1/8" X 1"     | 25  | 300  |
|        | RFMAD1.38X1.12 | 1.3/8" X 1.1/2" | 2   | 100  |
|        | RFMAD1.38X1.14 | 1.3/8" X 1.1/4" | 2   | 100  |
|        | RFMAD1.58X1.14 | 1.5/8" X 1.1/4" | 2   | 100  |
|        | RFMAD1.58X1.12 | 1.5/8" X 1.1/2" | 2   | 100  |
|        | RFMAD2.18X2    | 2.1/8" X 2"     | 1   | 80   |
|        | RFMAD2.58X2.12 | 2.5/8" X 2.1/2" | 1   | 30   |

#### U-Bend C x C

| RFUB38X1.12   | 3/8" X 1.1/2"   | 10  | 500 |
|---------------|-----------------|-----|-----|
| RFUB12X1.12   | 1/2" X 1.1/2"   | 100 | 400 |
| RFUB58X1.78   | 5/8" X 1.7/8"   | 10  | 300 |
| RFUB34X2.12   | 3/4" X 2.1/2"   | 10  | 200 |
| RFUB78X2.12   | 7/8" X 2.1/2"   | 10  | 150 |
| RFUB1.18X3    | 1.1/8" X 3"     | 10  | 80  |
| RFUB1.38X3.34 | 1.3/8" X 3.3/4" | 10  | 40  |
| RFUB1.58X4.12 | 1.5/8" X 4.1/2" | 2   | 28  |
| RFUB2.18X5.12 | 2.1/8" X 5.1/2" | 1   | 15  |



Silver Solder (Brazing Rod)

1000

800

800

50

50

50

## LAWTON

| Product Code    | Size                    | %   | Туре        |
|-----------------|-------------------------|-----|-------------|
| SOL-ZERO        | 1.27mm X 3.18mm X 508mm | 0   | Round       |
| SOL-S2.0AG0.2   | 2.0mm X 500mm           | 0.2 | Square      |
| SOL-S1.5AG5     | 1.5mm X 500mm           | 5   | Round       |
| SOL-S1.5AG45    | 1.5mm X 500mm           | 45  | Round       |
| SOL-S1.5AG40FC  | 1.5mm X 500mm           | 40  | Flux Coated |
| SOL-S1.5AG40    | 1.5mm X 500mm           | 40  | Round       |
| SOL-S1.5AG55    | 1.5mm X 500mm           | 55  | Round       |
| SOL-S2.0AG2     | 2.0mm X 500mm           | 5   | Round       |
| SOL-S2.0AG5     | 2.0mm X 500mm           | 2   | Round       |
| SOL-S2.5AG6     | 2.5mm X 500mm           | 6   | Round       |
| SOL-S2.5AG5     | 2.5mm X 500mm           | 5   | Round       |
| SOL-S2.5AG15    | 2.5mm X 500mm           | 15  | Round       |
| SOL-S2.5AG45    | 2.5mm X 500mm           | 45  | Round       |
| SOL-S2.5AG15(6) | 2.5mm X 600mm           | 15  | Round       |
| SOL-S3.0AG2     | 3.0mm X 500mm           | 2   | Round       |
| SOL-S3.0AG5     | 3.0mm X 500mm           | 5   | Round       |

## LAWTON

| Er | id Cap       |
|----|--------------|
|    | Product Code |
|    | RFEC14       |



| Product Code | Size   | Bag | Box  |
|--------------|--------|-----|------|
| RFEC14       | 1/4"   | 100 | 5000 |
| RFEC38       | 3/8"   | 100 | 5000 |
| RFEC12       | 1/2"   | 100 | 3000 |
| RFEC58       | 5/8"   | 100 | 2200 |
| RFEC34       | 3/4"   | 50  | 1500 |
| RFEC78       | 7/8"   | 50  | 1200 |
| RFEC1.18     | 1.1/8" | 50  | 600  |
| RFEC1.38     | 1.3/8" | 25  | 400  |
| RFEC1.58     | 1.5/8" | 10  | 200  |
| RFEC2.18     | 2.1/8" | 5   | 120  |
| RFEC2.58     | 2.5/8" | 2   | 60   |
| RFEC3.18     | 3.1/8" | 1   | 40   |
| RFEC3.58     | 3.5/8" | 1   | 25   |
| RFEC4.18     | 4.1/8" | 1   | 25   |

## Copper Tube Strap - Double Hole

| RFSPS14   | 1/4"   | 100 | 5000 |
|-----------|--------|-----|------|
| RFSPS38   | 3/8"   | 100 | 3000 |
| RFSPS12   | 1/2"   | 100 | 2500 |
| RFSPS58   | 5/8"   | 50  | 2500 |
| RFSPS34   | 3/4"   | 50  | 1500 |
| RFSPS78   | 7/8"   | 50  | 1500 |
| RFSPS1.18 | 1.1/8" | 10  | 750  |
| RFSPS1.38 | 1.3/8" | 10  | 650  |
| RFSPS1.58 | 1.5/8" | 10  | 700  |
| RFSPS2.18 | 2.1/8" | 5   | 500  |

## Suction Line P-Traps C x C

| <br>RFPT58 | 5/8"   | 1 | 80 |
|------------|--------|---|----|
| RFPT34     | 3/4"   | 1 | 40 |
| RFPT78     | 7/8"   | 1 | 30 |
| RFPT1.18   | 1.1/8" | 1 | 25 |
| RFPT1.38   | 1.3/8" | 1 | 15 |
| RFPT1.58   | 1.5/8" | 1 | 8  |
| RFPT2.18   | 2.1/8" | 1 | 4  |

## Female Thread Adaptor C x F

|  | RFFAD38X14 | 3/8" X 1/4" |
|--|------------|-------------|
|  | RFFAD12X12 | 1/2" X 1/2" |
| And the Party of t | RFFAD12X38 | 1/2" X 3/8" |
|  | RFFAD58X12 | 5/8" X 1/2" |
|  | RFFAD58X34 | 5/8" X 3/4" |
|  | RFFAD34X34 | 3/4" X 3/4" |
|  | RFFAD34X12 | 3/4" X 1/2" |
|  | REEAD78X12 | 7/8" X 1/2" |

| RFFAD58X12     | 5/8" X 1/2"     | 50 | 500 |
|----------------|-----------------|----|-----|
| RFFAD58X34     | 5/8" X 3/4"     | 50 | 500 |
| RFFAD34X34     | 3/4" X 3/4"     | 10 | 500 |
| RFFAD34X12     | 3/4" X 1/2"     | 10 | 500 |
| RFFAD78X12     | 7/8" X 1/2"     | 10 | 300 |
| RFFAD1.18X1    | 1.1/8" X 1"     | 5  | 300 |
| RFFAD1.38X1.14 | 1.3/8" X 1.1/4" | 2  | 100 |
| RFFAD2.18X2    | 2.1/8" X 2"     | 1  | 80  |
|                |                 |    |     |

## Male Reducer Adaptor

RFMADRED58X12 5/8" X 1/2" 25 500



dam

1


>B< MaxiPro Press Fittings: Join the press revolution

>B< MaxiPro is press fitting system for use with Lawton Copper Tubes for Air-Conditioning and Refrigeration applications. >B< MaxiPro fittings can be used with soft annealed, half-hard or hard Lawton Copper tube conforming to both EN-12735-1 or ASTM B-280.

>B< MaxiPro fittings provide a secure, permanent leakproof joint which can be completed in a significantly less time than a typically brazed joint. Another big advantage to using >B< MaxiPro is that it avoids the need for a hot works permit and the risk of fire on site. Other benefits of >B< MaxiPro include:

- · Secure, permanent leak proof jointing
- Time and cost saving compared to typically brazed joints
- No need for hot works permits
- · No need to Nitrogen purge

The three point press of the >B< MaxiPro fitting means that with the press each side of the bead and one compressing the O-ring meaning a very secure and permanent joint is achieved. A high quality HNBR O-ring forms a leak-free joint.

## Con Con

#### Straight Coupler

| Product Code    | Size   | Bag | Box |
|-----------------|--------|-----|-----|
| MPA5270 0020001 | 1/4"   | 5   | 200 |
| MPA5270 0030001 | 3/8"   | 5   | 200 |
| MPA5270 0040001 | 1/2"   | 5   | 150 |
| MPA5270 0050001 | 5/8"   | 5   | 150 |
| MPA5270 0060001 | 3/4"   | 2   | 80  |
| MPA5270 0070001 | 7/8"   | 2   | 110 |
| MPA5270 0080001 | 1"     | 2   | 100 |
| MPA5270 0090001 | 1.1/8" | 2   | 80  |



#### 90 Degree Bend

| MPA5002 0020001 | 1/4"   | 5 | 200 |  |
|-----------------|--------|---|-----|--|
| MPA5002 0030001 | 3/8"   | 5 | 200 |  |
| MPA5002 0040001 | 1/2"   | 3 | 120 |  |
| MPA5002 0050001 | 5/8"   | 3 | 90  |  |
| MPA5002 0060001 | 3/4"   | 3 | 120 |  |
| MPA5002 0070001 | 7/8"   | 3 | 120 |  |
| MPA5002 0080001 | 1"     | 2 | 80  |  |
| MPA5002 0090001 | 1.1/8" | 2 | 60  |  |
|                 |        |   |     |  |

#### 90 Degree Street Bend

| MPA5001 0030001 | 3/8"   | 3 | 210 |
|-----------------|--------|---|-----|
| MPA5001 0040001 | 1/2"   | 3 | 120 |
| MPA5001 0050001 | 5/8"   | 3 | 120 |
| MPA5001 0060001 | 3/4"   | 3 | 120 |
| MPA5001 0070001 | 7/8"   | 3 | 120 |
| MPA5001 0080001 | 1"     | 2 | 80  |
| MPA5001 0090001 | 1.1/8" | 2 | 60  |
|                 |        |   |     |



#### Equal Tee

| MPA5T 002020201 | 1/4"   | 3 | 150 |
|-----------------|--------|---|-----|
| MPA5T 003030301 | 3/8"   | 3 | 150 |
| MPA5T 004040401 | 1/2"   | 3 | 150 |
| MPA5T 005050501 | 5/8"   | 2 | 120 |
| MPA5T 006060601 | 3/4"   | 2 | 80  |
| MPA5T 007070701 | 7/8"   | 2 | 70  |
| MPA5T 008080801 | 1"     | 1 | 50  |
| MPA5T 009090901 | 1.1/8" | 1 | 40  |



| to begine being |        |   |     |
|-----------------|--------|---|-----|
| MPA5041 0020001 | 1/4"   | 3 | 180 |
| MPA5041 0030001 | 3/8"   | 3 | 180 |
| MPA5041 0040001 | 1/2"   | 3 | 120 |
| MPA5041 0050001 | 5/8"   | 3 | 120 |
| MPA5041 0060001 | 3/4"   | 3 | 120 |
| MPA5041 0070001 | 7/8"   | 3 | 120 |
| MPA5041 0080001 | 1"     | 2 | 80  |
| MPA5041 0090001 | 1.1/8" | 2 | 80  |
|                 |        |   |     |

>B< MaxiPro comes with a 10 year guarantee against manufacturing defects when fitted by a trained and certified installer.

| Reduced Coupler |      |     |     |
|-----------------|------|-----|-----|
| Product Code    | Size | Bag | Box |

| Product Code    | Size          | Dag | BUX |
|-----------------|---------------|-----|-----|
| MPA5240 0040301 | 1/2" x 3/8"   | 2   | 150 |
| MPA5240 0050301 | 5/8" x 3/8"   | 2   | 150 |
| MPA5240 0050401 | 5/8" x 1/2"   | 2   | 120 |
| MPA5240 0060301 | 3/4" x 3/8"   | 2   | 120 |
| MPA5240 0060401 | 3/4" x 1/2"   | 2   | 120 |
| MPA5240 0060501 | 3/4" x 5/8"   | 2   | 120 |
| MPA5240 0070401 | 7/8" x 1/2"   | 2   | 100 |
| MPA5240 0070501 | 7/8" x 5/8"   | 2   | 100 |
| MPA5240 0070601 | 7/8" x 3/4"   | 2   | 100 |
| MPA5240 0090501 | 1.1/8" x 5/8" | 1   | 80  |
| MPA5240 0090601 | 1.1/8" x 3/4" | 1   | 80  |
| MPA5240 0090701 | 1.1/8" x 7/8" | 1   | 60  |



#### **Fitting Reducer**

| MPA5243 0030201 | 3/8" x 1/4"   | 2 | 150 |
|-----------------|---------------|---|-----|
| MPA5243 0040301 | 1/2" x 3/8"   | 2 | 150 |
| MPA5243 0050301 | 5/8" x 3/8"   | 2 | 150 |
| MPA5243 0050401 | 5/8" x 1/2"   | 2 | 150 |
| MPA5243 0060401 | 3/4" x 1/2"   | 2 | 120 |
| MPA5243 0060501 | 3/4" x 5/8"   | 2 | 100 |
| MPA5243 0070401 | 7/8" x 1/2"   | 2 | 80  |
| MPA5243 0070501 | 7/8" x 5/8"   | 2 | 80  |
| MPA5243 0070601 | 7/8" x 3/4"   | 2 | 80  |
| MPA5243 0090401 | 1.1/8" x 1/2" | 1 | 100 |
| MPA5243 0090501 | 1.1/8" x 5/8" | 1 | 100 |
| MPA5243 0090601 | 1.1/8" x 3/4" | 1 | 100 |
| MPA5243 0090701 | 1.1/8" x 7/8" | 1 | 100 |
|                 |               |   |     |

#### 45 Degree Bend

#### Stop End

| Product Code    | Size   | Bag | Box |
|-----------------|--------|-----|-----|
| MPA5301 0020001 | 1/4"   | 3   | 180 |
| MPA5301 0030001 | 3/8"   | 3   | 180 |
| MPA5301 0040001 | 1/2"   | 3   | 150 |
| MPA5301 0050001 | 5/8"   | 2   | 150 |
| MPA5301 0060001 | 3/4"   | 2   | 150 |
| MPA5301 0070001 | 7/8"   | 2   | 150 |
| MPA5301 0080001 | 1"     | 1   | 100 |
| MPA5301 0090001 | 1.1/8" | 1   | 100 |

#### Long Coupler

| MPA5270L0020001 | 1/4"   | 5 | 200 |
|-----------------|--------|---|-----|
| MPA5270L0030001 | 3/8"   | 5 | 200 |
| MPA5270L0040001 | 1/2"   | 5 | 150 |
| MPA5270L0050001 | 5/8"   | 3 | 120 |
| MPA5270L0060001 | 3/4"   | 2 | 100 |
| MPA5270L0070001 | 7/8"   | 2 | 90  |
| MPA5270L0080001 | 1"     | 1 | 50  |
| MPA5270L0090001 | 1-1/8" | 1 | 40  |
|                 |        |   |     |

#### Long Repair Coupler

| MPA5275L0020001 | 1/4"   | 5 | 200 |
|-----------------|--------|---|-----|
| MPA5275L0030001 | 3/8"   | 5 | 200 |
| MPA5275L0040001 | 1/2"   | 5 | 150 |
| MPA5275L0050001 | 5/8"   | 3 | 120 |
| MPA5275L0060001 | 3/4"   | 2 | 100 |
| MPA5275L0070001 | 7/8"   | 2 | 90  |
| MPA5275L0080001 | 1"     | 1 | 50  |
| MPA5275L0090001 | 1-1/8" | 1 | 40  |

#### Long reduced Coupler

|   | MPA5240L0030201 | 3/8" x 1/4" | 2 | 120 |
|---|-----------------|-------------|---|-----|
|   | MPA5240L0050301 | 5/8" x 3/8" | 2 | 120 |
| , | MPA5240L0080501 | 1" x 5/8"   | 1 | 60  |

#### Flare Adaptor

| MPA5285G0020201 | 1/4" | 4 | 140 |
|-----------------|------|---|-----|
| MPA5285G0030301 | 3/8" | 4 | 120 |
| MPA5285G0040401 | 1/2" | 2 | 60  |
| MPA5285G0050501 | 5/8" | 2 | 50  |
| MPA5285G0060601 | 3/4" | 2 | 40  |

#### Complex Flare, Inox nut and Copper Washer

|   | Product Code    | Size | Bag | Box |
|---|-----------------|------|-----|-----|
|   | MPA5286G0020201 | 1/4" | 4   | 140 |
| > | MPA5286G0030301 | 3/8" | 4   | 120 |
|   | MPA5286G0040401 | 1/2" | 2   | 60  |
|   | MPA5286G0050501 | 5/8" | 2   | 50  |
|   | MPA5286G0060601 | 3/4" | 2   | 40  |
|   |                 |      |     |     |

#### Copper Washer

| MPA5287 0020001 | 1/4" | 10 | 700 |
|-----------------|------|----|-----|
| MPA5287 0030001 | 3/8" | 10 | 700 |
| MPA5287 0040001 | 1/2" | 10 | 600 |
| MPA5287 0050001 | 5/8" | 10 | 400 |
| MPA5287 0060001 | 3/4" | 10 | 300 |
|                 |      |    |     |

### Suction Line P Trap

| MPA5698 0050001 | 5/8"   | 1 | 30 |
|-----------------|--------|---|----|
| MPA5698 0060001 | 3/4"   | 1 | 25 |
| MPA5698 0070001 | 7/8"   | 1 | 25 |
| MPA5698 0090001 | 1.1/8" | 1 | 20 |
| MPA5698 0110001 | 1.3/8" | 1 | 20 |
| MPA5698 0130001 | 1.5/8" | 1 | 20 |
| MPA5698 0170001 | 2.1/8" | 1 | 20 |
|                 |        |   |    |



#### Depth Gauge

| MPA DEPTH GAUGE | 1/4" - 1.1/8"  | 1 | 40 |
|-----------------|--|---|----|
|                 | the proventies of the proventi |   |    |



#### Fitting Lubricant

|               | 1 | 25 |
|---------------|---|----|
| PABPSOIL100ML |   |    |

#### MaxiPro Tool & Jaw Kit







## Lawton K65 The tube system for high pressure applications

In refrigeration, and in particular in the area of supermarket refrigeration systems, more and more ecology-oriented plant concepts are being implemented.

The modern, environment-friendly refrigerant CO<sup>2</sup> that is used here leads to high operating pressures. For these applications the new K65 tube system is available.

Tubes and fittings are made of the high-strength copper alloy K65 which has already been used with success in electrical engineering and the automotive industry. K65 allows economical installation of refrigeration systems with operating pressures up to 120 bar.

K65 has good processing properties which are similar to those of copper. K65 tubes may be brazed to K65 fittings in the traditional way. K65 fittings are manufactured by IBP Conex. Safety ensured by two well-known manufacturers K65 tubes and K65 fittings fall under a joint system guarantee that includes CO<sup>2</sup> applications up to 120 bar for the items listed.

Easy to identify – even after installation K65 tubes and fittings are marked appropriately, so that the system components can be clearly identified at all times. In addition, the material is slightly magnetic and can easily be distinguished from copper by means of a neodymium magnet – a helpful, practical advantage.

#### Economical

The main advantage is the mechanical strength of K65. Because of the high strength of the material, the K65 product can be made with comparatively thinner walls. The light weight of tubes made of K65 means not only a saving in material, but also easier handling, for example when mounting the tubes on ceilings.

## LAWTON

| OD<br>(inches) | 80 bar<br>available in 6 metre lengths | 120 bar<br>available in 6 metre lengths |
|----------------|--|---|
| 3/8"           |  | •                                       |
| 1/2"           | •                                      |   |
| 5/8"           |  |   |
| 3/4"           |  |   |
| 7/8"           | •                                      | 81                                      |
| 1.1/8"         | 3 <b>.</b>                             | •                                       |
| 1.3/8"         | 9 <b>.</b> 83                          |   |
| 1.5/8"         | •                                      | •                                       |
| 2.1/8"         |  |   |

Further dimensions for industrial applications, and also for other pressures, are available according to customer specifications. Changes in surface colour are possible with this material. However, these changes are purely optical and will not affect the technical performance.

K65 Tubes for CO<sup>2</sup> Applications



## LAWTON

120 5 100

120 5 100

## K65 Fittings

K65 90 Degree Long Radius Elbow

| Pa  | rt Code  | Size   | Bar | Bag | Box |
|-----|----------|--------|-----|-----|-----|
| K65 | ELLR38   | 3/8"   | 120 | 5   | 100 |
| K65 | ELLR12   | 1/2"   | 120 | 5   | 100 |
| K65 | ELLR58   | 5/8"   | 120 | 5   | 100 |
| K65 | ELLR34   | 3/4"   | 120 | 5   | 100 |
| K65 | ELLR78   | 7/8"   | 120 | 5   | 100 |
| K65 | ELLR1.18 | 1.1/8" | 120 | 5   | 100 |
| K65 | ELLR1.38 | 1.3/8" | 120 | 1   | 30  |
| K65 | ELLR1.58 | 1.5/8" | 120 | 1   | 20  |
| K65 | ELLR2.18 | 2.1/8" | 120 | 1   | 10  |
|     |          |        |     |     |     |

#### K65 90 Degree Long Radius Street Elbow

| K65ELLRS38   | 3/8"   | 120 | 5 | 100 |
|--------------|--------|-----|---|-----|
| KOJELLK530   | 3/0    | 120 | 5 | 100 |
| K65ELLRS12   | 1/2"   | 120 | 5 | 100 |
| K65ELLRS58   | 5/8"   | 120 | 5 | 100 |
| K65ELLRS34   | 3/4"   | 120 | 5 | 100 |
| K65ELLRS78   | 7/8"   | 120 | 5 | 100 |
| K65ELLRS1.18 | 1.1/8" | 120 | 5 | 100 |
| K65ELLRS1.38 | 1.3/8" | 120 | 1 | 30  |
| K65ELLRS1.58 | 1.5/8" | 120 | 1 | 20  |
| K65ELLRS2.18 | 2.1/8" | 120 | 1 | 10  |
|              |        |     |   |     |

#### Part Code Size Bar Box Bag K65TE12X12X38 1/2" x 1/2" x 3/8" 120 5 100 K65TE12X38X38 1/2" x 3/8" x 3/8" 120 5 100 K65TE58X58X38 5/8" x 5/8" x 3/8" 120 5 100 K65TE58X58X12 5/8" x 5/8" x 1/2" 120 5 100 5/8" x 1/2" x 1/2" 120 5 100 K65TE58X12X12 K65TE34X34X58 3/4" x 3/4" x 5/8" 120 5 100 3/4" x 3/4" x 1/2" 120 5 100 K65TE34X34X12 7/8" x 7/8" x 1/2" K65TE78X78X12 120 5 20 120 5 100 7/8" x 7/8" x 5/8" K65TE78X78X58 K65TE78X78X34 7/8" x 7/8" x 3/4" 120 5 100 K65TE1.18X1.18X34 1.1/8" x 1.1/8" x 3/4" 120 5 100 1.1/8" x 1.1/8" x 7/8" 120 K65TE1.18X1.18X78 5 100 120 5 100 K65TE1.18X78X12 1.1/8" x 7/8" x 1/2" K65TE1.38X1.38X34 1.3/8" x 1.3/8" x 3/4" 120 5 30 K65TE1.38X1.38X78 1.3/8" x 1.3/8" x 7/8" 120 5 30 K65TE1.38X1.38X1.18 1.3/8" x 1.3/8" x 1.1/8" 120 20 1 K65TE1.58X1.58X34 1.5/8" x 1.5/8" x 3/4" 120 1 20 1.5/8" x 1.5/8" x 7/8" K65TE1.58X1.58X78 120 1 20 K65TE1.58X1.58X1.18 1.5/8" x 1.5/8" x 1.1/8" 120 1 20 K65TE2.18X2.18X1.58 2.1/8" x 2.1/8" x 1.5/8" 120 1 15

LAWTON

#### K65 Equal Tee

K65 Reducing Tee

| K65TE38   | 3/8"   | 120 | 5 | 100 |
|-----------|--------|-----|---|-----|
| K65TE12   | 1/2"   | 120 | 5 | 100 |
| K65TE58   | 5/8"   | 120 | 5 | 100 |
| K65TE34   | 3/4"   | 120 | 5 | 100 |
| K65TE78   | 7/8"   | 120 | 5 | 100 |
| K65TE1.18 | 1.1/8" | 120 | 5 | 100 |
| K65TE1.38 | 1.3/8" | 120 | 1 | 30  |
| K65TE1.58 | 1.5/8" | 120 | 1 | 20  |
| K65TE2.18 | 2.1/8" | 120 | 1 | 15  |
|           |        |     |   |     |

K65 45 Degree Elbow K65EL45/38

K65EL45/12

| K65EL45/58   | 5/8"   | 120 | 5 | 100 |
|--------------|--------|-----|---|-----|
| K65EL45/34   | 3/4"   | 120 | 5 | 100 |
| K65EL45/78   | 7/8"   | 120 | 5 | 100 |
| K65EL45/1.18 | 1.1/8" | 120 | 5 | 100 |
| K65EL45/1.38 | 1.3/8" | 120 | 1 | 30  |
| K65EL45/1.58 | 1.5/8" | 120 | 1 | 20  |

3/8"

1/2"

#### K65 45 Degree Street Elbow

| K65ELS45/34   | 3/4"   | 120 | 5 | 100 |
|---------------|--------|-----|---|-----|
| K65ELS45/78   | 7/8"   | 120 | 5 | 100 |
| K65ELS45/1.18 | 1.1/8" | 120 | 5 | 100 |
| K65ELS45/1.38 | 1.3/8" | 120 | 1 | 30  |
| K65ELS45/1.58 | 1.5/8" | 120 | 1 | 20  |



| K65 | Fitting | Reducer |
|-----|---------|---------|

|   | K65RED12X38     | 1/2" X 3/8"     | 120 | 5 | 100 |
|---|-----------------|-----------------|-----|---|-----|
|   | K65RED58X38     | 5/8" X 3/8"     | 120 | 5 | 100 |
|   | K65RED58X12     | 5/8" X 1/2"     | 120 | 5 | 100 |
| 1 | K65RED34X38     | 3/4" X 3/8"     | 120 | 5 | 100 |
|   | K65RED34X12     | 3/4" X 1/2"     | 120 | 5 | 100 |
| 1 | K65RED34X58     | 3/4" X 5/8"     | 120 | 5 | 100 |
|   | K65RED78X38     | 7/8" X 3/8"     | 120 | 5 | 100 |
| 1 | K65RED78X12     | 7/8" X 1/2"     | 120 | 5 | 100 |
|   | K65RED78X58     | 7/8" X 5/8"     | 120 | 5 | 100 |
|   | K65RED78X34     | 7/8" X 3/4"     | 120 | 5 | 100 |
|   | K65RED1.18X12   | 1.1/8" X 1/2"   | 120 | 5 | 100 |
| 1 | K65RED1.18X58   | 1.1/8" X 5/8"   | 120 | 5 | 100 |
|   | K65RED1.18X34   | 1.1/8" X 3/4"   | 120 | 5 | 100 |
| 1 | K65RED1.18X78   | 1.1/8" X 7/8"   | 120 | 5 | 100 |
|   | K65RED1.38X1.18 | 1.3/8" X 1.1/8" | 120 | 1 | 60  |
| 1 | K65RED1.58X78   | 1.5/8" X 7/8"   | 120 | 1 | 30  |
|   | K65RED1.58X1.38 | 1.5/8" X 1.3/8" | 120 | 1 | 60  |
|   | K65RED2.18X1.58 | 2.1/8" X 1.5/8" | 120 | 1 | 30  |

## LAWTON

#### K65 Couplings



| K65 Couplings  |                 |     |     | KBS |
|----------------|-----------------|-----|-----|-----|
| Part Code      | Size            | Bar | Bag | Box |
| K65CP38        | 3/8"            | 120 | 5   | 100 |
| K65CP12        | 1/2"            | 120 | 5   | 100 |
| K65CP58        | 5/8"            | 120 | 5   | 100 |
| K65CP34        | 3/4"            | 120 | 5   | 100 |
| K65CP78        | 7/8"            | 120 | 5   | 100 |
| K65CP1.18      | 1.1/8"          | 120 | 5   | 100 |
| K65CP1.38      | 1.3/8"          | 120 | 5   | 60  |
| K65CP1.58      | 1.5/8"          | 120 | 5   | 30  |
| K65CP2.18      | 2.1/8"          | 120 | 5   | 30  |
| K65CP12X38     | 1/2" X 3/8"     | 120 | 5   | 100 |
| K65CP58X12     | 5/8" X 1/2"     | 120 | 5   | 100 |
| K65CP34X58     | 3/4" X 5/8"     | 120 | 5   | 100 |
| K65CP78X34     | 7/8" X 3/4"     | 120 | 5   | 100 |
| K65CP1.18X12   | 1.1/8" X 1/2"   | 120 | 5   | 100 |
| K65CP1.18X78   | 1.1/8" X 7/8"   | 120 | 5   | 100 |
| K65CP1.38X12   | 1.3/8" X 1/2"   | 120 | 1   | 60  |
| K65CP1.38X58   | 1.3/8" X 5/8"   | 120 | 1   | 60  |
| K65CP1.38X34   | 1.3/8" X 3/4"   | 120 | 1   | 60  |
| K65CP1.38X78   | 1.3/8" X 7/8"   | 120 | 1   | 60  |
| K65CP1.38X1.18 | 1.3/8" X 1.1/8" | 120 | 1   | 60  |
| K65CP1.58X34   | 1.5/8" X 3/4"   | 120 | 1   | 30  |
| K65CP1.58X78   | 1.5/8" X 7/8"   | 120 | 1   | 30  |
| K65CP1.58X1.18 | 1.5/8" X 1.1/8" | 120 | 1   | 30  |
| K65CP1.58X1.38 | 1.5/8" X 1.3/8" | 120 | 1   | 30  |
| K65CP2.18X1.58 | 2.1/8" X 1.5/8" | 120 | 1   | 30  |
|                |                 |     |     |     |

## K65 End Cap

| K65 End Cap |        |     |   |     |
|-------------|--------|-----|---|-----|
| K65EC38     | 3/8"   | 120 | 5 | 100 |
| K65EC12     | 1/2"   | 120 | 5 | 100 |
| K65EC58     | 5/8"   | 120 | 5 | 100 |
| K65EC34     | 3/4"   | 120 | 5 | 100 |
| K65EC78     | 7/8"   | 120 | 5 | 100 |
| K65EC1.18   | 1.1/8" | 120 | 5 | 100 |
| K65EC1.38   | 1.3/8" | 120 | 5 | 60  |
| K65EC1.58   | 1.5/8" | 120 | 1 | 30  |
| K65EC2.18   | 2.1/8" | 120 | 1 | 30  |
|             |        |     |   |     |





## **Class O Fire Rated Coil**

Backed by Lawton's reputation for quality, service and customer care for over 100 years.

- Meets UK Building and Fire Safety Regulations
- Class O tested and passed in the UK for complete peace of mind
- Nitrile Butadiene Rubber (NBR) Class 0 rated insulation matched with Lawton Copper tube gives total product confidence
- The only Class O Pre-insulated Coil on the market for the UK and Ireland
- Suitable for Air Conditioning and Refrigeration
   applications

- Available in 20mtr coils, in both 9mm and 13mm thickness
- · Easy installation. No glue, tape or messy powder
- Using pre insulated coil achieves pipework installation in less than half the time of conventional methods
- New improved profile developed for easy splitting during installation

| Part Number    | Tube Dimensions               | Insulation<br>Thickness | Lengths | Pallet Qty<br>(coils) |
|----------------|-------------------------------|-------------------------|---------|-----------------------|
| LPC1438CO-9MM  | 1/4" x 0.71mm & 3/8" x 0.81mm | 9mm (3/8")              | 20m     | 11                    |
| LPC1412CO-9MM  | 1/4" x 0.71mm & 1/2" x 0.81mm | 9mm (3/8")              | 20m     | 11                    |
| LPC1458CO-9MM  | 1/4" x 0.71mm & 5/8" x 0.91mm | 9mm (3/8")              | 20m     | 11                    |
| LPC3858C0-9MM  | 3/8" x 0.81mm & 5/8" x 0.91mm | 9mm (3/8")              | 20m     | 10                    |
| LPC1438CO-13MM | 1/4" x 0.71mm & 3/8" x 0.81mm | 13mm (1/2")             | 20m     | 11                    |
| LPC1412CO-13MM | 1/4" x 0.71mm & 1/2" x 0.81mm | 13mm (1/2")             | 20m     | 10                    |
| LPC1458CO-13MM | 1/4" x 0.71mm & 5/8" x 0.91mm | 13mm (1/2")             | 20m     | 10                    |
| LPC3858CO-13MM | 3/8" x 0.81mm & 5/8" x 0.91mm | 13mm (1/2")             | 20m     | 9                     |

#### Single Coil

| Part Number    | Tube Dimensions | Insulation<br>Thickness | Lengths | Pallet Qty<br>(coils) |
|----------------|-----------------|-------------------------|---------|-----------------------|
| LIC1420C0-13MM | 1/4" x 0.71mm   | 13mm                    | 20m     | 16                    |





# Pair Coil





## **Class B Fire Rated Coil**

A fast and easy solution that meets the needs of Euroclass EN 13501-1 Rating of BL-s1,d0

- Backed by Lawton's reputation for quality, service and customer care for over 100 years.
- · Meets European Building and Fire Safety Regulations
- PE Foam B rated insulation matched with Lawton Copper tube gives total product confidence
- · Suitable for Heat Pump and Air Conditioning applications
- Available in 20mtr & 25mtr coils, in both 9mm and 13mm thickness
- · Easy installation. No glue, tape or messy powder
- Using pre insulated coil achieves pipework installation in less than half the time of conventional methods
- New improved profile developed for easy splitting during installation

#### Pair Coil

| Part Number   | Tube Dimensions               | Insulation<br>Thickness | Lengths | Pallet Qty<br>(coils) |
|---------------|-------------------------------|-------------------------|---------|-----------------------|
| LPC1438CB-9MM | 1/4" x 0.71mm & 3/8" x 0.81mm | 9mm (3/8")              | 25m     | 11                    |
| LPC1412CB-9MM | 1/4" x 0.71mm & 1/2" x 0.81mm | 9mm (3/8")              | 25m     | 11                    |
| LPC1458CB-9MM | 1/4" x 0.71mm & 5/8" x 0.91mm | 9mm (3/8")              | 25m     | 11                    |
| LPC3858CB-9MM | 3/8" x 0.81mm & 5/8" x 0.91mm | 9mm (3/8")              | 25m     | 10                    |







Lawton's medical product range includes:

- Straight lengths
- Fittings
- Medical Accessories

Demand Lawton's Copper for:

- Medical Gas pipelines
- Vacuum Systems
- Other medical gas equipment compliant to HTM02/01

Lawton's Medical products were used in many prestigious projects including:

- Southmead Hospital UK
- Sidra Hospital, Qatar
- King Faisal Hospital, Saudi
- Hamad Medical City, Qatar
- Cleveland Clinic, Dubai
- Square Hospital, Bangledesh
- New South Glasgow Adult Hospital, UK
- Jaber Al Ahmed Al Jaber Al Sabah Hospital, Kuwait

Demand Lawton Tubes for:

- Strength
- Quality
- Reliability













## **Pipeline solutions for medical installations**

At Lawton we supply kitemarked degreased copper tubes to BS EN 13348, meaning all Lawton products are regularly audited by the British Standards Institute. Straight length copper tube is available in 3m & 6m lengths. Diameters range from 12mm to 219mm, for large hospital projects, and we have large diameter tubes available for immediate despatch.

All Lawton medical tube complies with the latest National Health Service (NHS) HTM 02-01 spec.

#### Specific Benefits Include:

- Specifically designed for copper medical gas and vaccum systems. Superseding earlier 'hybridised' copper tube standards such as BS EN1057 & BS 2871 Part 1 Table X guoted in HTM 2022 & NHS engineering spec. C11.
- Tighter limits on cleanliness determination.

- Improved identification to avoid confusion with similar sizes of water service tube. (EN1057 spec).
- Lawton Tubes were the first British company to be awarded the kitemark licence to supply to this standard over 20 years ago.

#### Sixes 12-108mm copper tubes are stamped with:

- Tube size
- Kitemark
- EN13348
- Temper
- Manufacturer

In addition 12mm to 28mm sizes are inkjet marked with additional data to enable traceability i e date and batch coded

- Manufacturer
- Date (guarter)
- 67mm tubes and above are stamped at either end of the tube.

| Medical G<br>Table X | rade Degreased Copper 1 | Tube - EN13348 |         | Table Y  | LF             |           |         |
|----------------------|-------------------------|----------------|---------|----------|----------------|-----------|---------|
| Size                 | Wall Thickness          | Available      | Lengths |          |                |           |         |
| Diameter             | mm                      | 3 metre        | 6 metre | Size     | Wall Thickness | Available | lengths |
| 10mm                 | 0.6                     | •              | •       |          |                |           | 1       |
| 12mm                 | 0.6                     | •              |         | Diameter | mm             | 3 metre   | 6 metre |
| 15mm                 | 0.7                     | •              | •       | 12mm     | 0.8            |           | •       |
| 22mm                 | 0.9                     | •              | •       | 15mm     | 1.0            | •         | •       |
| 28mm                 | 0.9                     | •              | •       | 22mm     | 1.2            | •         | •       |
| 35mm                 | 1.0 or 1.2              | •              | ٠       | 28mm     | 1.2            | •         | •       |
| 42mm                 | 1.0 or 1.2              | •              |         | 35mm     | 1.5            |           |         |
| 54mm                 | 1.0 or 1.2              | •              |         | 42mm     | 1.5            |           |         |
| 67mm                 | 1.2                     | •              | •       |          |                | •         | •       |
| 76mm                 | 1.5                     | •              | •       | 54mm     | 2.0            |           | •       |
| 108mm                | 1.5                     | •              |         | 66.7mm   | 2.0            |           | •       |
| 133mm                | 1.5                     | •              | •       | 76.1mm   | 2.0            |           |         |
| 159mm                | 2.0                     | •              | •       | 108mm    | 2.5            |           | •       |
| 219mm                | 3.0                     |                |         |          |                |           |         |





## **Fittings & Accessories**

Lawton's end feed fittings, manufactured to BS EN 1254-1:2021 are seamless, one piece fittings, which makes them stronger and easier to use.

All fittings are specifically designed for copper medical gas and vacuum systems. We supply individually bagged ex-stock from 12mm up to 219mm.

Munsen rings, used as copper tube supports on ceilings and walls, re available from 12mm to 159mm in single and double M10 threads.

Munsen rings, hospital saddle brackets and male and female back plates can all be supplied in brass and chrome finishes.

#### End-Feed fittings BS EN 1254-1

| Fitting Reducer (FTG x C) |                 |     |     | INEO FITTIN |
|---------------------------|-----------------|-----|-----|-------------|
| Product Code              | Size            | Bag | Box | Pallet      |
| MEDRED0128                | 12mm x 8mm      | 1   | 900 | 27000       |
| MEDRED0158                | 15mm x 8mm      | 1   | 800 | 24000       |
| MEDRED01512               | 15mm x 12mm     | 1   | 600 | 18000       |
| MEDRED02212               | 22mm x 12mm     | 1   | 500 | 15000       |
| MEDRED02215               | 22mm x 15mm     | 1   | 400 | 12000       |
| MEDRED02815               | 28mm x 15mm     | 1   | 300 | 9000        |
| MEDRED02822               | 28mm x 22mm     | 1   | 300 | 9000        |
| MEDRED03515               | 35mm x 15mm     | 1   | 200 | 6000        |
| MEDRED03522               | 35mm x 22mm     | 1   | 200 | 6000        |
| MEDRED03528               | 35mm x 28mm     | 1   | 150 | 4500        |
| MEDRED04215               | 42mm x 15mm     | 1   | 150 | 4500        |
| MEDRED04222               | 42mm x 22mm     | 1   | 125 | 3750        |
| MEDRED04228               | 42mm x 28mm     | 1   | 125 | 3750        |
| MEDRED04235               | 42mm x 35mm     | 1   | 100 | 3000        |
| MEDRED05415               | 54mm x 15mm     | 1   | 100 | 3000        |
| MEDRED05422               | 54mm x 22mm     | 1   | 100 | 3000        |
| MEDRED05428               | 54mm x 28mm     | 1   | 100 | 3000        |
| MEDRED05435               | 54mm x 35mm     | 1   | 80  | 2400        |
| MEDRED05442               | 54mm x 42mm     | 1   | 80  | 2400        |
| MEDRED06728               | 66.7mm x 28mm   | 1   | 50  | 1500        |
| MEDRED06735               | 66.7mm x 35mm   | 1   | 50  | 1500        |
| MEDRED06742               | 66.7mm x 42mm   | 1   | 50  | 1500        |
| MEDRED06754               | 66.7mm x 54mm   | 1   | 50  | 1500        |
| MEDRED07635               | 76.1mm x 35mm   | 1   | 50  | 1500        |
| MEDRED07642               | 76.1mm x 42mm   | 1   | 40  | 1200        |
| MEDRED07654               | 76.1mm x 54mm   | 1   | 40  | 1200        |
| MEDRED07667               | 76.1mm x 66.7mm | 1   | 25  | 750         |
| MEDRED10842               | 108mm x 42mm    | 1   | 10  | 300         |
| MEDRED10854               | 108mm x 54mm    | 1   | 10  | 300         |
| MEDRED10867               | 108mm x 66.7mm  | 1   | 10  | 300         |
| MEDRED10876               | 108mm x 76.1mm  | 1   | 10  | 300         |
| MEDRED13367               | 133mm x 66.7mm  | 1   | 10  | 300         |
| MEDRED13376               | 133mm x 76.1mm  | 1   | 10  | 300         |
| MEDRED133108              | 133mm x 108mm   | 1   | 10  | 300         |
| MEDRED15976               | 159mm x 76.1mm  | 1   | 5   | 150         |
| MEDRED159108              | 159mm x 108mm   | 1   | 5   | 150         |
| MEDRED159133              | 159mm x 133mm   | 1   | 5   | 150         |
| MEDRED219159              | 219mm x 159mm   | 1   | 1   | 30          |

Silver brazing rods are available in various thicknesses and lengths, silver content can be 2%, 5%, or 45% and conforms to BS EN ISO 17672:2010.

#### Specific Benefits Include:

- Complies to NHS (UK) Health Technical Memorandum 02/01 (HTM2022) and C11.
- All fittings supplied contain less than 100mg/m2 (0.01mg cm2) of hydrocarbons on the decreased surface.
- Improved identification to avoid confusion with similar sizes of water service fittings.
- All items ex-stock and packaging is suitable for exporting.

## LAWTON

|   | Slip Coupling |      | Reas II I |     | TIEU FITTINGS |
|---|---------------|------|-----------|-----|---------------|
| - | Product Code  | Size | Bag       | Box | Pallet        |
|   | MEDSC015      | 15mm | 1         | 300 | 18000         |
|   | MEDSC022      | 22mm | 1         | 200 | 12000         |
|   | MEDSC028      | 28mm | 1         | 120 | 3600          |
|   | MEDSC035      | 35mm | 1         | 70  | 6000          |
|   | MEDSC042      | 42mm | 1         | 50  | 3600          |
|   | MEDSC054      | 54mm | 1         | 30  | 1500          |

#### Reducer Coupling (C x C)

|   | reducer coupling ( | 0 ^ 0)          |   |      |       |
|---|--------------------|-----------------|---|------|-------|
| 6 | MEDCP0128          | 12mm x 8mm      | 1 | 1000 | 30000 |
|   | MEDCP01210         | 12mm x 10mm     | 1 | 1000 | 30000 |
|   | MEDCP01510         | 15mm x 10mm     | 1 | 600  | 18000 |
|   | MEDCP01512         | 15mm x 12mm     | 1 | 600  | 18000 |
|   | MEDCP02215         | 22mm x 15mm     | 1 | 400  | 12000 |
|   | MEDCP02815         | 28mm x 15mm     | 1 | 300  | 9000  |
|   | MEDCP02822         | 28mm x 22mm     | 1 | 250  | 7500  |
|   | MEDCP03515         | 35mm x 15mm     | 1 | 200  | 6000  |
|   | MEDCP03522         | 35mm x 22mm     | 1 | 200  | 6000  |
|   | MEDCP03528         | 35mm x 28mm     | 1 | 150  | 4500  |
|   | MEDCP04215         | 42mm x 15mm     | 1 | 125  | 3750  |
|   | MEDCP04222         | 42mm x 22mm     | 1 | 125  | 3750  |
|   | MEDCP04228         | 42mm x 28mm     | 1 | 125  | 3750  |
|   | MEDCP04235         | 42mm x 35mm     | 1 | 125  | 3750  |
|   | MEDCP05422         | 54mm x 22mm     | 1 | 100  | 1800  |
|   | MEDCP05415         | 54mm x 15mm     | 1 | 100  | 1800  |
|   | MEDCP05428         | 54mm x 28mm     | 1 | 100  | 1800  |
|   | MEDCP05435         | 54mm x 35mm     | 1 | 80   | 1800  |
|   | MEDCP05442         | 54mm x 42mm     | 1 | 75   | 2250  |
|   | MEDCP06754         | 66.7mm x 54mm   | 1 | 40   | 1200  |
|   | MEDCP07635         | 76.1mm x 35mm   | 1 | 25   | 750   |
|   | MEDCP07667         | 76.1mm x 66.7mm | 1 | 25   | 750   |
|   | MEDCP07642         | 76.1mm x 42mm   | 1 | 25   | 750   |
|   | MEDCP07654         | 76.1mm x 54mm   | 1 | 25   | 750   |
|   | MEDCP10876         | 108mm x 76.1mm  | 1 | 10   | 300   |
|   | MEDCP159133        | 159mm x 133mm   | 1 | 5    | 150   |
|   |                    |                 |   |      |       |

50 Product Catalogue Version VII

## LAWTON

| Coupling     |        |     | 1    | THEO FITTING |
|--------------|--------|-----|------|--------------|
| Product Code | Size   | Bag | Box  | Pallet       |
| MEDCP012     | 12mm   | 1   | 1000 | 30000        |
| MEDCP015     | 15mm   | 1   | 600  | 18000        |
| MEDCP022     | 22mm   | 1   | 400  | 12000        |
| MEDCP028     | 28mm   | 1   | 300  | 9000         |
| MEDCP035     | 35mm   | 1   | 200  | 6000         |
| MEDCP042     | 42mm   | 1   | 125  | 3750         |
| MEDCP054     | 54mm   | 1   | 60   | 1800         |
| MEDCP067     | 66.7mm | 1   | 40   | 1200         |
| MEDCP076     | 76.1mm | 1   | 25   | 750          |
| MEDCP108     | 108mm  | 1   | 10   | 300          |
| MEDCP133     | 133mm  | 1   | 5    | 150          |
| MEDCP159     | 159mm  | 1   | 5    | 150          |
| MEDCP219     | 219mm  | 1   | 1    | 30           |

#### 45 Degree Elbow

| MEDEL01545 | 15mm   | 1 | 400 | 12000 |
|------------|--------|---|-----|-------|
| MEDEL02845 | 28mm   | 1 | 200 | 6000  |
| MEDEL02245 | 22mm   | 1 | 300 | 9000  |
| MEDEL03545 | 35mm   | 1 | 125 | 3750  |
| MEDEL04245 | 42mm   | 1 | 100 | 3000  |
| MEDEL05445 | 54mm   | 1 | 40  | 1200  |
| MEDEL06745 | 66.7mm | 1 | 20  | 600   |
| MEDEL07645 | 76.1mm | 1 | 20  | 600   |
| MEDEL10845 | 108mm  | 1 | 5   | 150   |
| MEDEL13345 | 133mm  | 1 | 3   | 90    |
| MEDEL15945 | 159mm  | 1 | 2   | 60    |
| MEDEL21945 | 219mm  | 1 | 1   | 30    |

#### 45 Degree Street Elbow

|       | MEDELS01545 | 15mm   | 1 | 400 | 12000 |
|-------|-------------|--------|---|-----|-------|
|       | MEDELS02845 | 28mm   | 1 | 175 | 5250  |
|       | MEDELS02245 | 22mm   | 1 | 300 | 9000  |
|       | MEDELS03545 | 35mm   | 1 | 125 | 3750  |
| MEDEL | MEDELS04245 | 42mm   | 1 | 100 | 3000  |
|       | MEDELS05445 | 54mm   | 1 | 50  | 1500  |
|       | MEDELS06745 | 66.7mm | 1 | 25  | 750   |
|       | MEDELS07645 | 76.1mm | 1 | 20  | 600   |

#### 90 Degree Elbow

|          | The state of the second st |        |     |      |       |
|----------|--|--------|-----|------|-------|
|          | MEDEL012   | 12mm   | 1   | 600  | 18000 |
|          | MEDEL015   | 15mm   | 1   | 400  | 12000 |
| P        | MEDEL022   | 22mm   | 1   | 300  | 9000  |
| MEDEL028 | 28mm   | 1      | 200 | 6000 |       |
|          | MEDEL035   | 35mm   | 1   | 125  | 3750  |
|          | MEDEL042   | 42mm   | 1   | 70   | 2100  |
|          | MEDEL054   | 54mm   | 1   | 40   | 1200  |
|          | MEDEL067   | 66.7mm | 1   | 20   | 600   |
|          | MEDEL076   | 76.1mm | 1   | 20   | 600   |
|          | MEDEL108   | 108mm  | 1   | 5    | 150   |
|          | MEDEL133   | 133mm  | 1   | 2    | 60    |
|          | MEDEL159   | 159mm  | 1   | 2    | 60    |
|          | MEDEL219   | 219mm  | 1   | 1    | 30    |
|          |  |        |     |      |       |

#### 90 Degree Street Elbow

|  | MEDELS012 | 12mm | 1 | 500 | 15000 |
|--|-----------|------|---|-----|-------|
|  | MEDELS015 | 15mm | 1 | 400 | 12000 |
|  | MEDELS022 | 22mm | 1 | 300 | 9000  |
|  | MEDELS028 | 28mm | 1 | 150 | 4500  |
|  | MEDELS035 | 35mm | 1 | 125 | 3750  |
|  | MEDELS042 | 42mm | 1 | 80  | 2400  |
|  | MEDELS054 | 54mm | 1 | 40  | 1200  |
|  |           |      |   |     |       |

1

|                | 90 Degree Reducin            | a Elbow                  |     | VV  | THED FITTING |
|----------------|------------------------------|--------------------------|-----|-----|--------------|
|                | Product Code                 | Size                     | Bag | Box | Pallet       |
| ~1)            | MEDEL02215                   | 22mm x 15mm              | 1   | 400 | 12000        |
|                | MEDELOZZIO                   | 22mm x tomm              |     | 400 | 12000        |
|                | Long Radius Elbow            | 1                        |     |     |              |
|                | MEDELLR067                   | 66.7mm                   | 1   | 10  | 300          |
|                | MEDELLR076                   | 76.1mm                   | 1   | 5   | 150          |
| 0              | MEDELLR108                   | 108mm                    | 1   | 3   | 90           |
|                | TEDELLITIO                   | 1001111                  | 1   |     | 10           |
|                | Reducing Tee                 |                          |     |     |              |
|                | MEDTE0151212                 | 15mm x 12mm x 12mm       | 1   | 500 | 15000        |
| and the second | MEDTE0151512                 | 15mm x 15mm x 12mm       | 1   | 500 | 15000        |
|                | MEDTE0151522                 | 15mm x 15mm x 22mm       | 1   | 250 | 7500         |
|                | MEDTE0221515                 | 22mm x 15mm x 15mm       | 1   | 250 | 7500         |
|                | MEDTE0221513                 | 22mm x 15mm x 22mm       | 1   | 250 | 7500         |
|                | MEDTE02221322                | 22mm x 22mm x 12mm       | 1   | 250 | 7500         |
|                | MEDTE0222212<br>MEDTE0222215 | 22mm x 22mm x 15mm       | 1   | 250 | 7500         |
|                | MEDTE0222215<br>MEDTE0281515 | 28mm x 15mm x 15mm       | 1   | 200 | 6000         |
|                | MEDTE0287315                 | 28mm x 22mm x 15mm       | 1   | 200 | 6000         |
|                | MEDTE0282213                 | 28mm x 22mm x 22mm       | 1   |     |              |
|                |                              |                          |     | 175 | 5250         |
|                | MEDTE0282228                 | 28mm x 22mm x 28mm       | 1   | 150 | 4500         |
|                | MEDTE0282815                 | 28mm x 28mm x 15mm       |     | 150 | 4500         |
|                | MEDTE0282822                 | 28mm x 28mm x 22mm       | 1   | 150 | 4500         |
|                | MEDTE0351535                 | 35mm x 15mm x 35mm       | 1   | 100 | 3000         |
|                | MEDTE0352222                 | 35mm x 22mm x 22mm       | 1   | 125 | 3750         |
|                | MEDTE0352235                 | 35mm x 22mm x 35mm       | 1   | 100 | 3000         |
|                | MEDTE0352815                 | 35mm x 28mm x 15mm       | 1   | 100 | 3000         |
|                | MEDTE0352822                 | 35mm x 28mm x 22mm       | 1   | 100 | 3000         |
|                | MEDTE0352828                 | 35mm x 28mm x 28mm       | 1   | 100 | 3000         |
|                | MEDTE0352835                 | 35mm x 28mm x 35mm       | 1   | 80  | 2400         |
|                | MEDTE0353515                 | 35mm x 35mm x 15mm       | 1   | 125 | 3750         |
|                | MEDTE0353522                 | 35mm x 35mm x 22mm       | 1   | 125 | 3750         |
|                | MEDTE0353528                 | 35mm x 35mm x 28mm       | 1   | 100 | 3000         |
|                | MEDTE0421542                 | 42mm x 15mm x 42mm       | 1   | 50  | 1500         |
|                | MEDTE0422242                 | 42mm x 22mm x 42mm       | 1   | 50  | 1500         |
|                | MEDTE0422828                 | 42mm x 28mm x 28mm       | 1   | 80  | 2400         |
|                | MEDTE0422842                 | 42mm x 28mm x 42mm       | 1   | 50  | 1500         |
|                | MEDTE0423528                 | 42mm x 35mm x 28mm       | 1   | 70  | 2100         |
|                | MEDTE0423535                 | 42mm x 35mm x 35mm       | 1   | 50  | 1500         |
|                | MEDTE0423542                 | 42mm x 35mm x 42mm       | 1   | 50  | 1500         |
|                | MEDTE0424215                 | 42mm x 42mm x 15mm       | 1   | 80  | 2400         |
|                | MEDTE0424222                 | 42mm x 42mm x 22mm       | 1   | 80  | 2400         |
|                | MEDTE0424228                 | 42mm x 42mm x 28mm       | 1   | 60  | 1800         |
|                | MEDTE0424235                 | 42mm x 42mm x 35mm       | 1   | 50  | 1500         |
|                | MEDTE0544242                 | 54mm x 42mm x 42mm       | 1   | 35  | 1050         |
|                | MEDTE0544254                 | 54mm x 42mm x 54mm       | 1   | 25  | 750          |
|                | MEDTE0545415                 | 54mm x 54mm x 15mm       | 1   | 50  | 1500         |
|                | MEDTE0545422                 | 54mm x 54mm x 22mm       | 1   | 40  | 1200         |
|                | MEDTE0545428                 | 54mm x 54mm x 28mm       | 1   | 40  | 1200         |
|                | MEDTE0545435                 | 54mm x 54mm x 35mm       | 1   | 40  | 1200         |
|                | MEDTE0545442                 | 54mm x 54mm x 42mm       | 1   | 40  | 1200         |
|                | MEDTE0676728                 | 66.7mm x 66.7mm x 28mm   | 1   | 25  | 750          |
|                | MEDTE0676735                 | 66.7mm x 66.7mm x 35mm   | 1   | 15  | 450          |
|                | MEDTE0676742                 | 66.7mm x 66.7mm x 42mm   | 1   | 15  | 450          |
|                | MEDTE0676754                 | 66.7mm x 66.7mm x 54mm   | 1   | 15  | 450          |
|                | MEDTE0767628                 | 76.1mm x 76.1mm x 28mm   | 1   | 20  | 600          |
|                | MEDTE0767635                 | 76.1mm x 76.1mm x 35mm   | 1   | 15  | 450          |
|                | MEDTE0767642                 | 76.1mm x 76.1mm x 42mm   | 1   | 15  | 450          |
|                | MEDTE0767654                 | 76.1mm x 76.1mm x 54mm   | 1   | 10  | 300          |
|                | MEDTE0767667                 | 76.1mm x 76.1mm x 66.7mm | 1   | 10  | 300          |
|                | MEDTE10810835                | 108mm x 108mm x 35mm     | 1   | 5   | 150          |
|                | MEDTE10810842                | 108mm x 108mm x 42mm     | 1   | 5   | 150          |
|                |                              |                          | 1   | 5   | 150          |

LAWTON

| Reducing Tee   |                        | LA  | 1   | MED FITTING |
|----------------|------------------------|-----|-----|-------------|
| Product Code   | Size                   | Bag | Box | Pallet      |
| MEDTE10810867  | 108mm x 108mm x 66.7mm | 1   | 5   | 150         |
| MEDTE10810876  | 108mm x 108mm x 76.1mm | 1   | 5   | 150         |
| MEDTE13313354  | 133mm x 133mm x 54mm   | 1   | 2   | 60          |
| MEDTE133133108 | 133mm x 133mm x 108mm  | 1   | 2   | 60          |
| MEDTE15915954  | 159mm x 159mm x 54mm   | 1   | 1   | 30          |
| MEDTE15915976  | 159mm x 159mm x 76.1mm | 1   | 2   | 60          |
| MEDTE159159108 | 159mm x 159mm x 108mm  | 1   | 2   | 60          |
| MEDTE159159133 | 159mm x 159mm x 133mm  | 1   | 1   | 30          |
| qual Tee       |                        |     |     |             |
| MEDTE012       | 12mm                   | 1   | 600 | 18000       |
| MEDTE015       | 15mm                   | 1   | 400 | 12000       |
| MEDTE022       | 22mm                   | 1   | 200 | 6000        |
| MEDTE028       | 28mm                   | 1   | 140 | 4200        |
| MEDTE035       | 35mm                   | 1   | 80  | 2400        |
| MEDTE042       | 42mm                   | 1   | 50  | 1500        |
| MEDTE054       | 54mm                   | 1   | 25  | 750         |
| MEDTE067       | 66.7mm                 | 1   | 15  | 450         |
| MEDTE076       | 76.1mm                 | 1   | 10  | 300         |
| MEDTE108       | 108mm                  | 1   | 4   | 120         |
| MEDTE133       | 133mm                  | 1   | 2   | 60          |
| MEDTE159       | 159mm                  | 1   | 1   | 30          |
| MEDTE219       | 219mm                  | 1   | 1   | 18          |
| End Cap        |                        |     |     |             |
| MEDEC015       | 15mm                   | 1   | 600 | 18000       |
| MEDEC022       | 22mm                   | 1   | 400 | 12000       |
| MEDEC028       | 28mm                   | 1   | 300 | 9000        |
| MEDEC035       | 35mm                   | 1   | 250 | 7500        |
| MEDEC042       | 42mm                   | 1   | 200 | 6000        |
| MEDEC054       | 54mm                   | 1   | 100 | 3000        |

T

|  | MEDECOTS | 1 Juniti |   | 000 | 10000 |
|--|----------|----------|---|-----|-------|
|  | MEDEC022 | 22mm     | 1 | 400 | 12000 |
|  | MEDEC028 | 28mm     | 1 | 300 | 9000  |
|  | MEDEC035 | 35mm     | 1 | 250 | 7500  |
|  | MEDEC042 | 42mm     | 1 | 200 | 6000  |
|  | MEDEC054 | 54mm     | 1 | 100 | 3000  |
|  | MEDEC067 | 66.7mm   | 1 | 50  | 1500  |
|  | MEDEC076 | 76.1mm   | 1 | 50  | 1500  |
|  | MEDEC108 | 108mm    | 1 | 20  | 600   |
|  | MEDEC133 | 133mm    | 1 | 10  | 300   |
|  | MEDEC159 | 159mm    | 1 | 10  | 300   |
|  |          |          |   |     |       |

| Soldering and Brazing  | Solutions |
|------------------------|-----------|
| Silver Solder (Brazing | Rod)      |
| Product Code           | Size      |

| SOL-ZERO        | 1.27mm X 3.18mm X 508mm | 0   | Round       |
|-----------------|-------------------------|-----|-------------|
| SOL-S2.0AG0.2   | 2.0mm X 500mm           | 0.2 | Square      |
| SOL-S1.5AG5     | 1.5mm X 500mm           | 5   | Round       |
| SOL-S1.5AG45    | 1.5mm X 500mm           | 45  | Round       |
| SOL-S1.5AG40FC  | 1.5mm X 500mm           | 40  | Flux Coated |
| SOL-S1.5AG40    | 1.5mm X 500mm           | 40  | Round       |
| SOL-S1.5AG55    | 1.5mm X 500mm           | 55  | Round       |
| SOL-S2.0AG2     | 2.0mm X 500mm           | 5   | Round       |
| SOL-S2.0AG5     | 2.0mm X 500mm           | 2   | Round       |
| SOL-S2.5AG6     | 2.5mm X 500mm           | 6   | Round       |
| SOL-S2.5AG5     | 2.5mm X 500mm           | 5   | Round       |
| SOL-S2.AG15     | 2.5mm X 500mm           | 15  | Round       |
| SOL-S2.5AG45    | 2.5mm X 500mm           | 45  | Round       |
| SOL-S2.5AG15(6) | 2.5mm X 600mm           | 15  | Round       |
| SOL-S3.0AG2     | 3.0mm X 500mm           | 2   | Round       |
| SOL-S3.0AG5     | 3.0mm X 500mm           | 5   | Round       |

%

Туре

|    | Brass Munsen Ring<br>Single Munsen Ring | 6     | LF     |     |      |
|----|---|-------|--------|-----|------|
| 00 | Product Code                            | Size  | Thread | Bag | Box  |
| CA | MUN012                                  | 12mm  | M10    | 100 | 1000 |
|    | MUN015                                  | 15mm  | M10    | 100 | 900  |
| -  | MUN022                                  | 22mm  | M10    | 50  | 700  |
|    | MUN028                                  | 28mm  | M10    | 50  | 450  |
|    | MUN035                                  | 35mm  | M10    | 50  | 300  |
|    | MUN042                                  | 42mm  | M10    | 25  | 250  |
|    | MUN054                                  | 54mm  | M10    | 25  | 150  |
|    | MUN067                                  | 67mm  | M10    | 10  | 110  |
|    | MUN076                                  | 76mm  | M10    | 10  | 80   |
|    | MUN108                                  | 108mm | M10    | 5   | 50   |
|    | MUN133                                  | 133mm | M10    | 5   | 20   |
|    | MUN159                                  | 159mm | M10    | 3   | 15   |

#### Double Munsen Ring

|      |         | 100 M |     |     |     |
|------|---------|-------|-----|-----|-----|
| 5    | MUND015 | 15mm  | M10 | 100 | 800 |
| 1 AR | MUND022 | 22mm  | M10 | 100 | 600 |
| 1    | MUND028 | 28mm  | M10 | 50  | 400 |
| T    | MUND035 | 35mm  | M10 | 25  | 200 |
|      | MUND042 | 42mm  | M10 | 25  | 150 |
|      | MUND054 | 54mm  | M10 | 25  | 100 |
|      | MUND067 | 67mm  | M10 | 10  | 60  |
|      | MUND076 | 76mm  | M10 | 10  | 50  |
|      | MUND108 | 108mm | M10 | 1   | 25  |
|      |         |       |     |     |     |

#### Hospital Bracket

MUNS015

MUNS022

| -0 | 1 |
|----|---|
|    |   |

|   | MUNS035 | 35mm | M10 | 25 | 150 |
|---|---------|------|-----|----|-----|
| 1 | MUNS042 | 42mm | M10 | 25 | 100 |
|   | MUNS054 | 54mm | M10 | 25 | 50  |

15mm

22mm

M10

M10

50

50

400

300

# MUNBF010 10mm M10 100 1500 Male Backplate MUNBM010 10mm M10 100 1000

MUN

|   | EFSB015 | 15mm | 100 | 1200 |
|---|---------|------|-----|------|
| 9 | EFSB022 | 22mm | 100 | 600  |
|   | EFSB028 | 28mm | 50  | 500  |



#### Medical ID Tape

| Product | Description    | Product | Description        |
|---------|----------------|---------|--------------------|
| IDVAC   | Medical Vacuum | IDC02   | Carbon Dioxide     |
| ID02    | Oxygen         | IDARR   | Direction Arrow    |
| IDNOX   | Entonox        | IDAGS   | Agss               |
| IDN20   | Nitrous Oxide  | IDA7    | Surgical Air 7 Bar |
| IDN     | Nitrogen       | IDA4    | Medical Air 4 Bar  |
| IDEX    | Exhaust        |         |                    |